

SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

SATO PRICELIST EUROPE



History of revision

Edition	Date	Page	Item	Contents
3.2		3, 6, 7	WWMB21070 (BT V1.1) replaced by WWMB27070 (BT V2.0) WMB410070 (BT V1.1) replaced by WWMB42070 (BT V2.0) WWMB51070 (BT V1.1) replaced by WWMB44070 (BT V2.0)	
3.2		19	New CG4 EPL + SBPL auto emulations printers	
3.2		20		New printer TH2
3.2		20	New CG4 ZPL + SBPL auto emulations printers	
3.2		65	Service Kit for M84xxse	
3.2		75		New Unwinders Mobile printer's new article nr for BT2.0
3.3		11/23	Battery Charger 1-Slot for MB4xxi & TH2 EX2 with Energy Star Level 4 185€	
3.3		19/20	add emulation EPL/ZPL interface option USB+IEEE	
3.3		19	WWCG08062E EPL + SBPL emulation CG408DT - USB + Parallel Printer with RoHS EX2	
3.3		20	WWCG08062Z ZPL + SBPL emulation CG408DT - USB + Parallel Printer with RoHS EX2	
3.3		34/35/ 40/43/48	RFID price changes for WLAN/LAN/USB interfaces	Page

SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS	MB200i / MB201i / Industrial MB400i / MB410i / Industrial CG2 / CG4 TH2 CT408i / CT412i / CT424i LM408e / LM412e CL408e / CL412e CL608e / CL612e GL408e / GL412e GT408e / GT412e / GT424e M10e M5900Rv M84Pro DR308e LT408 M84...Se S8408 / S8412 / S8424
OTHER ACCESSORIES	
SOFTWARE	
PRINTHEADS / PLATEN ROLLER	





MB200i / MB201i



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	103 mm (4,0")
Print Width	48 mm (1,89")
Print Length	160 mm (6,3")
Processor	32-bit RISC
Controls	3-button panel; LCD display (LCD on WLAN models)
Outer Label Diameter	MB200i: 67 mm, MB201i: 58 mm
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, IrDA, (Option: BT; WLAN)
Dimensions (H x W x D)	MB200i: 73 mm x 88 mm x 128 mm
Dimensions (H x W x D)	MB201i: 64 mm x 88 mm x 119 mm
Weight	MB200i: 405 g, MB201i: 390 g (with battery installed)

Outer Label Diameter 67mm	Outer Label Diameter 58mm	Serial IF	IrDA IF	Bluetooth	WLAN	Display	Linerless
---------------------------	---------------------------	-----------	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB200i (incl. battery)	755,00 €	WWMB20000	●	●	●		●
MB200i BT V2.0 (incl. battery)	885,00 €	WWMB23070	●	●	●	●	●
MB200i W/L (incl. battery) with LCD	1.085,00 €	WWMB20080	●	●	●	●	●
MB201i (incl. battery)	755,00 €	WWMB21000	●	●	●		●
MB201i BT (incl. battery)	885,00 €	WWMB27070 (BT V2.0)	●	●	●	●	●
MB201i W/L (incl. battery) with LCD	1.085,00 €	WWMB21080	●	●	●	●	●

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Product Code" where shown.

Version 3.3





MB200i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	103 mm (4,0")
Print Width	48 mm (1,89")
Print Length	160 mm (6,3")
Processor	32-bit RISC
Controls	3-button panel; LCD display (LCD on WLAN models)
Outer Label Diameter	MB200i: 67 mm, MB201i: 58 mm
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, IrDA, (Option: BT; WLAN)
Dimensions (H x W x D)	MB200i: 73 mm x 88 mm x 128 mm
Dimensions (H x W x D)	MB201i: 64 mm x 88 mm x 119 mm
Weight	MB200i: 405 g, MB201i: 390 g (with battery installed)

Outer Label Diameter 67mm	Outer Label Diameter 58mm	Serial IF	IrDA IF	Bluetooth	WLAN	Display	Linerless
---------------------------	---------------------------	-----------	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB200i (incl. battery) with Rubber Boot	795,00 €	WWMB22000	•	•	•			•
MB200i BT V2.0 (incl. battery) with Rubber Boot	925,00 €	WWMB29070	•	•	•	•		•
MB200i W/L (incl. battery) with Rubber Boot	1.125,00 €	WWMB22081	•	•	•	•	•	•

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Product Code" where shown.

Version 3.3





MB200i / MB201i PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Battery MB2xxi Note: one battery already comes with printer as Standard	90,00 €	WWMB25100
Battery Charger 1-Slot MB2xxi	135,00 €	WWMB25202
Battery Charger 5-Slot MB2xxi	660,00 €	WMB205942
AC Adapter MB2xxi EX2 with Energy Star Level 4 to operate printer without battery or to load battery which could remain inside the printer	175,00 €	WWMB25312
Shoulder Belt MB2xxi	36,00 €	WMB205970
Shoulder Case with Cover (IP54 protection for MB2xxi)	115,00 €	WPT205704
MB2xxxi waist case (with spare pocket)	85,00 €	Y98122040001
One Touch Belt Hook MB200i	18,00 €	WPT205701
D-Sub 9pin Cable	65,00 €	YC3006234



Waist Case with Pocket



Shoulder Case with Cover

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





MB400i



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB400i (incl. battery)	865,00 €	WMB410000	●	●	●	●			●
MB400i (incl. battery) with Bluetooth	995,00 €	WWMB42070 (BT V2.0)	●	●	●	●	●		●
MB400i (incl. battery) with Wireless LAN	1.195,00 €	WMB410080	●	●	●	●	●	●	●

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





MB400i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

MB400i (incl. battery) with Rubber Boot	935,00 €	WWMB51000	•	•	•	•			•
MB400i BT (incl. battery) with Rubber Boot	1.065,00 €	WWMB44070 (BT V2.0)	•	•	•	•	•		•
MB400i WL (incl. battery) with Rubber Boot	1.265,00 €	WWMB51081	•	•	•	•	•	•	•

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





MB410i



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

MB410i (incl. battery)	900,00 €	WMB420000	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>
MB410i (incl. battery) with Bluetooth V2.0	1.120,00 €	WWMB43070	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>
MB410i (incl. battery) with Wireless LAN	1.320,00 €	WMB420080	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





MB410i (INDUSTRIAL VERSION)



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	up to 103 mm (4,0")
Print Width	up to 104 mm (4,09")
Print Length	297 mm (11,7")
Memory	
Controls	3-button panel (LCD on WLAN models)
Cabinet	Antibacterial Polycarbonate Cabinet
Interfaces	RS232C, USB, IrDA (Option: Bluetooth, WLAN 802.11b/g)
Dimensions (H x W x D)	134 mm x 170 mm x 76 mm
Weight	750 g (with battery)

Resolution 203 dpi	Resolution 305 dpi	Serial IF	USB	IrDA IF	Bluetooth	WLAN	Display	Linerless
--------------------	--------------------	-----------	-----	---------	-----------	------	---------	-----------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

MB410i (incl. battery) with Rubber Boot	1.060,00 €	WWMB61000	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>
MB410i BT V2.0 (incl. battery) with Rubber Boot	1.190,00 €	WWMB46070	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>
MB410i WL (incl. battery) with Rubber Boot	1.390,00 €	WWMB61081	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>

DELIVERY CONTENT

Quick Guide (English)
Battery
Shoulder Strap

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





MB400i / MB410i PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Battery CG4/TH2

160,00 €

WMB405970

Battery Charger 1-Slot for MB4xxi & TH2 EX2 with Energy Star Level 4

185,00 €

WWMB45202

AC Adapter

to operate printer without battery or to load battery which could remain inside the printer

110,00 €

WWMB45302

MB4xxi Waist Case (with Spare Pocket)

90,00 €

Y98122040002

Water Proof Case (with Cover) (IP54 protection for MB4xxi)

125,00 €

WWMB45500

D-Sub 9pin Cable

65,00 €

YC3006234

Shoulder Belt MB4xxi

36,00 €

WMB205970

Leather Carrying Bag

120,00 €

WWMB45520

Waist Case with Pocket
(picture shows MB2xxi version)



Shoulder Case with Cover
(picture shows MB2xxi version)



Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.



CG2



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 600 mm (23,60")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model Optional: External Wireless LAN *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 128 mm x 235 mm
Weight	TT model 1,6 kg / DT model 1,5 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and LAN	RFID HF option	Direct Thermal	Thermal Transfer	Antibacterial housing	Optional Interfaces
--------------------	--------------------	----------------	-------------	----------------	----------------	------------------	-----------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

CG208TT USB + RS-232C with RoHS EX2	450,00 €	WWCG20032	●		●		●	●	●
CG208TT USB + LAN with RoHS EX2	580,00 €	WWCG20042	●			●	●	●	
CG212TT USB + RS-232C with RoHS EX2	600,00 €	WWCG30032		●	●		●	●	●
CG212TT USB + LAN with RoHS EX2	730,00 €	WWCG30042		●		●	●	●	
CG208DT USB + RS-232C with RoHS EX2	385,00 €	WWCG40032	●		●		●	●	●
CG208DT USB + LAN with RoHS EX2	515,00 €	WWCG40042	●			●	●	●	
CG212DT USB + RS-232C with RoHS EX2	535,00 €	WWCG50032		●	●		●	●	●
CG212DT USB + LAN with RoHS EX2	665,00 €	WWCG50042		●		●	●	●	

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately:
Y98133040022 DVD



CG2



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 600 mm (23,60")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model Optional: External Wireless LAN *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 128 mm x 235 mm
Weight	TT model 1,6 kg / DT model 1,5 kg

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

Offline Package	425,00 €		
including			
Keypad	305,00 €	WWDR35500	
SanDisk SD card 2 GB Ultra II	70,00 €	Y98122050002	
Note: Keypad supports SD Card up to 2GB. Not all manufacturers supported. Recommended Card: SanDisk			
Single Slot Multi Card Reader with USB Connector	50,00 €	Y98122050001	

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately:
Y98133040022 DVD

CG2 ACCESSORIES



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Stacker of DR3 (white color and works for CG2)</i>	88,00 €	WWDR35600
<i>Stacker of DR3 (grey color and works for CG2)</i>	50,00 €	WDR306602
<i>- available until stock has been cleared</i>		
<i>Dispenser With RoHS for CG2</i>	123,00 €	WWCG25200
<i>Cutter With RoHS for CG2</i>	155,00 €	WWCG25100
<i>Ribbon Core Adapter for CG2</i>	12,00 €	WWEV25980
<i>SATO Keypad</i>	305,00 €	WWDR35500

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CG2 ACCESSORIES




PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

METO 8200 replacement:

The original Meto 8200 Label rolls will not fit in CG2 printer, therefore you need a unwinder.



**SATO Unwinder JP (Passive & plastic)
CT4i/CG2 Unwinder**

210,00 €

WWCT45400

**SATO Unwinder JP (Passive & plastic)
CG2 Joint Plate (metal)**

30,00 €

WWCG25900

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3





RFID SPECIFICATIONS

Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode

PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 600 / 400 mm (23,60")
Memory	8 MB RAM, 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	USB + RS232C or USB + LAN
Emulation	ZPL, EPL
Dimensions (H x W x D)	173 mm x 128 mm x 235 mm
Weight	1,6 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

CG208 TT HF (RFID) USB + RS-232C	1.070,00 €	WWCG20T32	●	●	●	●		
CG208 TT HF (RFID) USB + LAN	1.200,00 €	WWCG20T42	●	●	●	●		
CG212 TT HF (RFID) USB + RS-232C	1.220,00 €	WWCG30T32		●	●	●	●	
CG212 TT HF (RFID) USB + LAN	1.350,00 €	WWCG30T42		●	●	●	●	

DELIVERY CONTENT

External Power Supply,
Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately: Y98133040022 DVD



CG4



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

**CG408TT USB + RS-232C
with RoHS EX2**

510,00 €

WWCG18032

●	●				●	●
---	---	--	--	--	---	---

**CG408TT USB + IEEE
with RoHS EX2**

540,00 €

WWCG18062

●		●			●	●
---	--	---	--	--	---	---

**CG408TT USB + LAN
with RoHS EX2**

640,00 €

WWCG18042

●				●	●	●
---	--	--	--	---	---	---

**CG412TT USB + RS-232C
with RoHS EX2**

660,00 €

WWCG22032

	●	●			●	●
--	---	---	--	--	---	---

**CG412TT USB + IEEE
with RoHS EX2**

690,00 €

WWCG22062

	●		●		●	●
--	---	--	---	--	---	---

**CG412TT USB + LAN
with RoHS EX2**

790,00 €

WWCG22042

	●			●	●	●
--	---	--	--	---	---	---

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to
be ordered separately:
Y98133040022 All printer DVD

CG4



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

**CG408DT USB + RS-232C
with RoHS EX2**

430,00 €

WWCG08032

•	•				•	•
---	---	--	--	--	---	---

**CG408DT USB + IEEE
with RoHS EX2**

460,00 €

WWCG08062

•		•	•		•	•
---	--	---	---	--	---	---

**CG408DT USB + LAN
with RoHS EX2**

560,00 €

WWCG08042

•				•	•	•
---	--	--	--	---	---	---

**CG412DT USB + RS-232C
with RoHS EX2**

580,00 €

WWCG12032

	•	•			•	•
--	---	---	--	--	---	---

**CG412DT USB + IEEE
with RoHS EX2**

610,00 €

WWCG12062

	•		•		•	•
--	---	--	---	--	---	---

**CG412DT USB + LAN
with RoHS EX2**

710,00 €

WWCG12042

	•			•	•	•
--	---	--	--	---	---	---

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to
be ordered separately:
Y98133040022 All printer DVD

CG4 EPL (Eltron) + SBPL (SATO) auto emulation



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

EPL + SBPL emulation
CG408DT - USB + RS232
Printer with RoHS EX2

430,00 €

WWCG08032E

• • • • • • •

EPL + SBPL emulation
CG408DT - USB + IEEE
Printer with RoHS EX2

460,00 €

WWCG08062E

• • • • • • •

EPL + SBPL emulation
CG408DT - USB + LAN
Printer with RoHS EX2

560,00 €

WWCG08042E

• • • • • • •

EPL + SBPL emulation
CG408TT - USB + RS232
Printer with RoHS EX2

510,00 €

WWCG18032E

• • • • • • •

EPL + SBPL emulation
CG408TT - USB + IEEE
Printer with RoHS EX2

540,00 €

WWCG18062E

• • • • • • •

EPL + SBPL emulation
CG408TT - USB + LAN
Printer with RoHS EX2

640,00 €

WWCG18042E

• • • • • • •

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately: Y98133040022 All printer DVD

Version 3.3



CG4 ZPL (Zebra) + SBPL (SATO) auto emulation



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	100 mm (4,00")
Print Width	104 mm (4,1")
Print Length	up to 300 mm (11,81")
Memory	4 MB Flash
Controls	LED signal 2 Control Buttons
Cabinet	Plastic
Interfaces	USB + RS-232C* model, USB + LAN model, USB + IEEE1284 model *RS-232C enables you to connect to PC or SATO Keypad.
Dimensions (H x W x D)	173 mm x 179 mm x 238 mm
Weight	TT model 1,9 kg / DT model 1,7 kg

Resolution 203 dpi	Resolution 305 dpi	USB and RS232C	USB and IEEE	USB and LAN	Direct Thermal	Thermal Transfer	Optional Interfaces
--------------------	--------------------	----------------	--------------	-------------	----------------	------------------	---------------------

PRODUCT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

ZPL + SBPL emulation CG408DT - USB + RS232 Printer with RoHS EX2	430,00 €	WWCG08032Z	•	•		•	•
ZPL + SBPL emulation CG408DT - USB + IEEE Printer with RoHS EX2	460,00 €	WWCG08062Z	•		•	•	•
ZPL + SBPL emulation CG408DT - USB + LAN Printer with RoHS EX2	560,00 €	WWCG08042Z	•		•	•	•
ZPL + SBPL emulation CG408TT - USB + RS232 Printer with RoHS EX2	510,00 €	WWCG18032Z	•	•		•	•
ZPL + SBPL emulation CG408TT - USB + IEEE Printer with RoHS EX2	540,00 €	WWCG18062Z	•		•	•	•
ZPL + SBPL emulation CG408TT - USB + LAN Printer with RoHS EX2	640,00 €	WWCG18042Z	•		•	•	•

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately:
Y98133040022 All printer DVD

CG4 ACCESSORIES



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Cutter With RoHS for CG4</i>	155,00 €	WWCG05100
<i>Dispenser With RoHS for CG4</i>	123,00 €	WWCG05200
<i>Real Time Clock for CG4</i>	67,00 €	WWCG05990
<i>Optional Bluetooth interface*</i> <i>*only for USB + RS-232C printer model</i>	240,00 €	Call
<i>Offline Package</i>	425,00 €	
including		
<i>Keypad</i>	305,00 €	WWDR35500
<i>SanDisk SD card</i> <i>2 GB Ultra II</i>	70,00 €	Y98122050002
<i>Note: Keypad supports SD Card up to 2GB.</i> <i>Not all manufacturers supported.</i> <i>Recommended Card: SanDisk</i>		
<i>Single Slot Multi</i> <i>Card Reader with</i> <i>USB Connector</i>	50,00 €	Y98122050001

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



TH2



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	100 mm (4,00")
Print Width	56 mm (2,20")
Print Length	up to 156 mm (6,14")
Memory	12 MB Flash, 8 MB SDRAM
Controls	LCD display
Cabinet	anti-microbial plastic
Interfaces	USB Version 2.0 Compliance (Full speed). Communication Class Device ("COM"-port), keyboard, scanner and terminal supported by PS2. LAN interface, SD memory card
Dimensions (H x W x D)	147 mm x 132 mm x 194 mm
Weight	1,7 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

TH208 USB	995,00 €	WWTH20022	•
TH208 USB and LAN	1.245,00 €	WWTH20042	•

Continuing on next page.

DELIVERY CONTENT

Quick Start Guide (EN, GER)

Note: Printer DVD (manuals, etc.) needs to be ordered separately:
Y98133040022 All printer DVD

TH2 ACCESSORIES



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Wall Mount Kit for TH2

110,00 €

WWTH25930

Keypad Cover for TH2 anti microbial (3 pieces)

45,00 €

Y99122120003

Cutter for TH2

150,00 €

WWTH25100

Battery TH2/MB4i

160,00 €

WMB405970

*Battery Charger 1-Slot for MB4xxi &
TH2 EX2 with Energy Star Level 4*

185,00 €

WWMB45202

Core Guide TH2

2,00 €

P28143010

Continuing on next page.

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



TH2 ACCESSORIES (3rd party)



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Cable

Datalogic QuickScan I, KBW-Kit (PS2 straight Cable) 245,00 € Y99122110001

Datalogic QuickScan I, KBW-Kit (PS2 Curly Cable) 260,00 € tbc

Datalogic Heron with holder and Green spot tbc tbc



Mobile

*Denso GT10 Bluetooth with Base station and charger
(Base station powered by PS2 of TH2)* 995,00 € tbc

*Datalogic Mobile with base station and charger
(Bases station powered by 110/220V adapter)* 595,00 € tbc

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3





CT408i / CT412i / CT424i



PRINTER SPECIFICATIONS

Resolution	CT408i: 203 dpi / CT412i: 305 dpi CT424i 600 dpi
Print Speed	CT408i: up to 150 mm (6,0") CT412i: up to 102 mm (4,0") CT424i: up to 76 mm (3,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	Type 1: USB 2.0 & RS232C Type 2: USB 2.0 & LAN
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg

Resolution 203 dpi	Resolution 305 dpi	Resolution 600 dpi	Direct Thermal	Thermal Transfer	USB2.0 + RS232C	USB2.0 + LAN	Antibacterial housing	Optional Interfaces
--------------------	--------------------	--------------------	----------------	------------------	-----------------	--------------	-----------------------	---------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS							
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--	--	--

CT408iDT USB+RS232C	865,00 €	WWCT50032	•		•	•	•	•	•	
CT408iTT USB+RS232C	965,00 €	WWCT53032	•			•	•	•	•	•
CT408iDT USB+LAN	895,00 €	WWCT50042	•		•			•	•	
CT408iTT USB+LAN	995,00 €	WWCT53042	•			•		•	•	
CT412iDT USB+RS232C	1.015,00 €	WWCT51032		•	•	•		•	•	•
CT412iTT USB+RS232C	1.115,00 €	WWCT54032		•		•	•	•	•	•
CT412iDT USB+LAN	1.045,00 €	WWCT51042		•	•			•	•	
CT412iTT USB+LAN	1.145,00 €	WWCT54042		•		•		•	•	

DELIVERY CONTENT

External Power Supply
USB Cable
Quick Start Guide (Eng/Ger)
TT printers: 2 x Ribbon Core adapter

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.





CT408i / CT412i / CT424i



PRINTER SPECIFICATIONS

Resolution	CT408i: 203 dpi / CT412i: 305 dpi CT424i 600 dpi
Print Speed	CT408i: up to 150 mm (6,0") CT412i: up to 102 mm (4,0") CT424i: up to 76 mm (3,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	Type 1: USB 2.0 & RS232C Type 2: USB 2.0 & LAN
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg

Resolution 203 dpi	Resolution 305 dpi	Resolution 600 dpi	Direct Thermal	Thermal Transfer	USB2.0 + RS232C	USB2.0 + LAN	Antibacterial housing	Optional Interfaces
--------------------	--------------------	--------------------	----------------	------------------	-----------------	--------------	-----------------------	---------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

CT424iDT USB+RS232C	1.295,00 €	WWCT52032	• • • • • • • •
CT424iTT USB+RS232C	1.495,00 €	WWCT55032	• • • • • • • •
CT424iDT USB+LAN	1.445,00 €	WWCT52042	• • • • • • • •
CT424iTT USB+LAN	1.595,00 €	WWCT55042	• • • • • • • •

DELIVERY CONTENT

External Power Supply
USB Cable
Quick Start Guide (Eng/Ger)
TT printers: 2 x Ribbon Core adapter

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.





CT408i / CT412i / CT424i PRINTER OPTIONS



**PRODUCT
DESCRIPTION**

LIST PRICE

**PROD. CODE ROHS /
SATO PROD. CODE**

Optional Plug-In Interfaces - for CT4i type 1 [USB/RS2323] only

Parallel IEEE1284

75,00 €

WWCT45060

Bluetooth Interface

225,00 €

WWCT55070

Wireless Mini-LAN

575,00 €

WWCT45082

Dispenser Kit for CT4xxi

135,00 €

WWCT55200

Cutter Kit for CT4xxi TT

185,00 €

WWR505100

Cutter Kit for CT4xxi DT

185,00 €

WWT505100

Linerless Kit incl. Cutter (for DT version only)

395,00 €

WR4085500

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





CT408i / 412i >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz

RFID SPECIFICATIONS

Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode

PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	up to 150 mm (6,0")
Print Width	104 mm (4,1")
Print Length	400 mm (15,7")
Memory	16 MB SDRAM; 4 MB Flash
Controls	2-button panel
Cabinet	Plastic Clamshell design Antibacterial cover tested according to JIS Z2801
Interfaces	USB 2.0 & RS232C
Dimensions (H x W x D)	181 mm x 198 mm x 225 mm
Weight	3 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

CT408i TT HF (RFID)
USB+RS232C

1.795,00 €

on request



DELIVERY CONTENT

External Power Supply, USB Cable
Quick Start Guide (Eng/Ger), 2 x Ribbon Core adapter

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3




LM408e / LM412e



PRINTER SPECIFICATIONS

Resolution	LM408e: 203 dpi LM412e: 305 dpi
Print Speed	150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	178 mm (7,0")
Memory	2 MB DRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Plastic
Interfaces (Optional):	One slot for e-series interfaces: Serial RS232; Parallel Centronics; USB, LAN, WLAN
Dimensions (H x W x D)	321 mm x 271 mm 430 mm
Weight	13 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS		
LM408e 203 dpi	995,00 €	WWLM40002	●		●
LM412e 305 dpi	1.295,00 €	WWLM46002 WLM412002		●	●

Note: Interface not included!
Needs to be ordered separately

DELIVERY CONTENT

Quick Guide
Euro Power Plug
SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





LM408e / LM412e PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

USB Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Other Options

Real Time Clock

90,00 €

CV617431A

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CL408e / CL412e



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg (incl. Power supply)

Resolution 203 dpi	Resolution 305 dpi	External Signal IF	Metal Cover	Dispenser
--------------------	--------------------	--------------------	-------------	-----------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
CL408e 203 dpi	1.395,00 €	WWC408002	•	•	•		
CL408e with Dispenser (incl. internal liner rewinder)	1.565,00 €	WWC408202	•	•	•	•	
CL412e 305 dpi	1.695,00 €	WWC412002		•	•	•	

Note: Interface not included!
Needs to be ordered separately

DELIVERY CONTENT

Quick Guide
Euro Power Plug
SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CL408e / CL412e PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
---------------------	------------	-----------------------------------

Guillotine Cutter	480,00 €	WWC405100
--------------------------	----------	-----------

Dispenser (incl. internal Liner rewinder)	170,00 €	WWC405201
---	----------	-----------

Internal Label Rewinder - Rewind Shaft ø 40 mm - Maximum outer diameter of rewind label is ø 115 mm Maximum outer diameter of supply label roll is less than ø 200 mm if internal rewinder is used - Size of label (with backing paper) W22-128 mm (W25-131) P17-178 mm(P20-181)	290,00 €	WWC405300
---	----------	-----------

Rotary Cutter for thick media only. Ask SATO representative for details.	750,00 €	WWC405110
--	----------	-----------

Catch tray for CL4xxe	300,00 €	WMR405501
------------------------------	----------	-----------

Real Time Clock for enhanced Series	90,00 €	CV617431A
--	---------	-----------

Interfaces

RS232C Interface for enhanced	100,00 €	WWCL45032
--------------------------------------	----------	-----------

Centronics	100,00 €	RJ1772001
-------------------	----------	-----------

IEEE 1284 Parallel	100,00 €	WWCL45060
---------------------------	----------	-----------

USB enhanced Interface	120,00 €	WWCL45020
-------------------------------	----------	-----------

LAN Interface for enhanced (Standard Slot)	455,00 €	WWGT45040
---	----------	-----------

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CL408e / CL412e PRINTER OPTIONS



**PRODUCT
DESCRIPTION**

LIST PRICE

**PROD. CODE ROHS /
SATO PROD. CODE**

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Memory Extensions

PCB for PCMCIA Memory Card for enhanced Series

220,00 €

RJ4770100

PCMCIA SRAM, battery powered; 1 MB 16 bit

121,00 €

Y98133080001

PCMCIA SRAM, battery powered; 2 MB 16 bit

255,00 €

Y98133080002

PCMCIA Memcard SRAM 4 MB with attribute

335,00 €

Y98133080007

Memory Module Flash Memory (Expd.)

195,00 €

RJ7770300

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





CL408e / 412e >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg

RFID SPECIFICATIONS

Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

CL408e UHF (RFID) w/o Interface	3.090,00 €	Y54169221244	●	●	●	●		
CL408e UHF (RFID) Serial Interface	3.190,00 €	WWC408C32	●	●	●	●		
CL408e UHF (RFID) Parallel Interface	3.190,00 €	on request	●	●	●	●		
CL408e UHF (RFID) USB	3.210,00 €	on request	●	●	●	●		
CL408e UHF (RFID) W-LAN	3.720,00 €	Y54169224233	●	●	●	●		
CL408e UHF (RFID) LAN	3.545,00 €	WWC409042	●	●				
CL408e UHF DIP (RFID) w/o Interface	3.150,00 €	WWC408C02	●		●	●	●	
CL408e UHF DIP (RFID) LAN	3.605,00 €	WWC408C4B	●		●	●	●	

Continuing on next page.

DELIVERY CONTENT

Quick Guide, Euro Power Plug, SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3





CL408e / 412e >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg (incl. Power supply)

RFID SPECIFICATIONS

Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock

Resolution 203 dpi	Resolution 305 dpi	Standard E-field	DIP H-field	Cutter	Dispenser
--------------------	--------------------	------------------	-------------	--------	-----------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

CL412e UHF (RFID) w/o Interface	3.340,00 €	WWC412C02		•	•		•	•
CL412e UHF (RFID) Serial Interface	3.440,00 €	WWC412C32		•	•		•	•
CL412e UHF (RFID) LAN	3.795,00 €	on request		•	•		•	•
CL412e UHF DIP (RFID) w/o Interface	3.400,00 €	WWC413C02	•			•	•	•

DELIVERY CONTENT

Quick Guide, Euro Power Plug, SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3





CL408e / 412e >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz


RFID SPECIFICATIONS

Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode

PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	up to 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2") / 833 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	321 mm x 271 mm x 430 mm
Weight	13 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
CL408e HF (RFID) w/o Interface	2.850,00 €	WWC40T002	●	●	●	
CL412e HF (RFID) w/o Interface	3.150,00 €	WWC41D002		●	●	●

DELIVERY CONTENT

Quick Guide, Euro Power Plug, SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3



CL608e / CL612e



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	200 mm (8")
Print Width	152 mm (6") / 165 mm (6,5")
Print Length	1249 mm (49,2") / 704 mm (32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Plastic
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	298 mm x 352 mm x 430 mm
Weight	19 kg

Resolution 203 dpi	Resolution 305 dpi	Dispenser	Ext. Signal IF	Plastic Cover
--------------------	--------------------	-----------	----------------	---------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
---------	------------	-----------------------------------	-----------------------------	--	--	--	--

CL608e 203 dpi	2.545,00 €	WWC608002	●			●	●
CL608e with Dispenser	2.880,00 €	WWC608202	●	●		●	●
CL612e 305 dpi	3.045,00 €	WWC612002			●	●	●
CL612e with Dispenser	3.380,00 €	WWC612202		●	●	●	●

Note: Interface not included!
Needs to be ordered separately

DELIVERY CONTENT

Quick Guide
Euro Power Plug
SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where shown.

Version 3.3



CL608e / CL612e PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

USB enhanced Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Other Options

Cutter

1.000,00 €

WWC605100

Dispenser

435,00 €

WWC605200

Real Time Clock for enhanced Series

90,00 €

CV617431A

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CL608e / CL612e PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Memory Extensions

PCB for PCMCIA Memory Card for enhanced Series

220,00 €

RJ4770100

PCMCIA SRAM, battery powered; 1 MB 16 bit

121,00 €

Y98133080001

PCMCIA SRAM, battery powered; 2 MB 16 bit

255,00 €

Y98133080002

PCMCIA Memcard SRAM 4 MB with attribute

335,00 €

Y98133080007

Memory Module Flash Memory (Expd.)

195,00 €

RJ7770300

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3





CL608e / 612e >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 200 mm (8")
Print Width	152 mm (6")
Print Length	1249 mm / 833 mm (49,2" / 32,8")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	298 mm x 352 mm x 430 mm
Weight	19 kg

RFID SPECIFICATIONS

Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

CL608e UHF (RFID) w/o Interface	4.790,00 €	Y54169221594	●	●	●	●		
CL608e UHF (RFID) Serial Interface	4.890,00 €	on request	●	●	●	●		
CL608e UHF (RFID) Parallel Interface	4.890,00 €	on request	●	●	●	●		
CL608e UHF (RFID) USB	4.910,00 €	on request	●	●	●	●		
CL608e UHF (RFID) LAN	5.245,00 €	on request	●	●	●	●		
CL612e UHF (RFID) LAN	5.495,00 €	on request		●	●	●	●	

DELIVERY CONTENT

Quick Guide, Euro Power Plug, SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3



GL408e / GL412e



PRINTER SPECIFICATIONS

Resolution	GL408e: 203 dpi GL412e: 305 dpi
Print Speed	up to 254 mm/s (10 ips)
Print Width	104 mm (4,0")
Print Length	up to 2.514 mm (98,9")
Memory	32 MB DRAM, 8 MB Flash
Controls	5 buttons, 4 navigation keys; backlit display
Cabinet	Metal
Interfaces (Standard)	IEEE1284 Parallel; USB 2.0; RS232C
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg

Resolution (interchangeable) 203 dpi	Resolution (interchangeable) 305 dpi	Interface serial	Interface parallel	Interface USB 2.0
--------------------------------------	--------------------------------------	------------------	--------------------	-------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
---------	------------	-----------------------------------	-----------------------------	--	--	--	--

GL408e	1.495,00 €	WWGL08002	●	●	●	●
GL412e	1.795,00 €	WWGL12002		●	●	●

DELIVERY CONTENT

Power Plug
Quick Guide (english)

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



GL408e / GL412e PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Internal LAN Interface</i>	230,00 €	WWGL15040
<i>Internal WLAN Interface; 802.11g</i>	395,00 €	WWGL25080
<i>Guillotine Cutter</i>	460,00 €	WWGL15100
<i>Simplified Dispenser (peels label from the liner; no rewinding)</i>	225,00 €	WWGL15200
<i>Internal Dispenser (including Liner Rewinder)</i>	695,00 €	WWGL15980
<i>Internal Rewinder; to rewind a full supply roll of up to 265 mm (without label core)</i>	645,00 €	WWGL15300
<i>Real Time Clock</i>	90,00 €	WWGL15990
<i>Embedded memory Cartridge: 32 MB Flash. Contains prestored True Type Fonts. Remaining free Memory: 28 MB for printing country specific characters/Codepages; remaining free memory 27 MB</i>	180,00 €	WWGL159KE
<i>Memory Card; as before, but without embedded True Type Fonts; 32MB free memory</i>	180,00 €	WWGL159R0

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.



RFID SPECIFICATIONS


Protocols:	EPC Gen 2 Class 1
RFID Features:	<ul style="list-style-type: none"> Fully integrated UHF RFID Reader/Encoder Module RFID calibration function for optimal transponder performance Transponder position calibration to allow flexible inlay positions void marking of damaged or unreadable Transponders RFID data verification after programming
Memory:	96 bit EPC

GL408e / GL412e >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 250 mm/s (10 ips)
Print Width	104 mm (4,0")
Print Length	up to 2.514 mm (98,9")
Memory	32 MB DRAM, 8 MB Flash
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces (Standard)	IEEE1284 Parallel, USB 2.0, RS232C
Interfaces (Optional)	1st Slot: LAN, WLAN 2nd Slot: 14-pin or 25-pin Ext Signal Board
Emulations	Zebra, TEC, Printronix, Datamax; Intermec
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

GL408e UHF (RFID) USB/RS232/Parallel	2.760,00 €	Y54169223442	●		●			
GL408e UHF (RFID) LAN + USB/RS232/Parallel	2.990,00 €	WWGL09C42	●		●			
GL408e UHF (RFID) WLAN + USB/RS232/Parallel	3.155,00 €	Y54169224223	●		●			
GL412e UHF (RFID) USB/RS232/Parallel	3.210,00 €	WWGL12C02		●	●			
GL412e UHF (RFID) LAN + USB/RS232/Parallel	3.440,00 €	WWGL08C42		●	●			
GL412e UHF (RFID) WLAN + USB/RS232/Parallel	3.605,00 €	WWGL08C82		●	●			

DELIVERY CONTENT

Power Plug
Quick Guide (english)

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3



GTe408e / GTe412e / GTe424e



PRINTER SPECIFICATIONS

Resolution	GTexxe 203 dpi / 305 dpi / 609 dpi
Print Speed	300 mm (11,8") / GTe424e: 150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	2500 mm (98,4") / 1500 mm (59,1") / 400 mm (15,8")
Memory	6 MB (Main Memory: 4 MB, Font: 2 MB)
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, High-speed RS-232C, USB, IEEE1284, LAN, Centronics, RS-422/485, Wireless LAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg (incl. Power supply)

Resolution (interchangeable) 203 dpi	Resolution (interchangeable) 305 dpi	Resolution (interchangeable) 609 dpi	SEMBL	Metal Cover	3 Interface slots
--------------------------------------	--------------------------------------	--------------------------------------	-------	-------------	-------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
GTe408e 203 dpi	1.745,00 €	WWGT08002	●			●	●	●
GTe412e 305 dpi	2.145,00 €	WWGT12002		●		●	●	●
GTe424e 609 dpi	2.645,00 €	WWGT24002			●	●	●	●

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Quick Guide
Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where shown.

Version 3.3



GTe4xxe PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Cutter Kit (Guillotine)</i>	460,00 €	WWGL15100
<i>GT Simple Dispenser Kit (without Internal Rewind)</i>	225,00 €	WWGT05220
<i>Internal Dispenser (including Liner Rewinder)</i>	795,00 €	WWGT05980
<i>Internal Rewinder; to rewind a full supply roll of up to 265 mm (without label core)</i>	945,00 €	WWGT05300
<i>GT Linerless Kit</i>	815,00 €	WWGT05500 WGT405500
<i>Memory Cartridge (extra option, standard already in printer)</i>	180,00 €	WGT405902

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



GTe4xxe PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>GT Mini LAN Interface (1st slot only)</i>	445,00 €	WGT405842
<i>RS232C Interface for enhanced</i>	100,00 €	WWCL45032
<i>Centronics (not suitable for Firmware download)</i>	100,00 €	RJ1772001
<i>IEEE 1284 Parallel</i>	100,00 €	WWCL45060
<i>LAN Interface for enhanced (Standard Slot)</i>	455,00 €	WWGT45040
<i>Wireless Mini LAN for enhanced</i>	630,00 €	WWCL45082
<i>RS422 / 485 Interface</i>	190,00 €	RJ1772500
<i>USB Interface Important: USB Interface supported from PCB >3.1. If required this needs to be noted as Delivery Instruction on the order form!</i>	120,00 €	WWCL45020
<i>GT EXT (25) PCB Assy</i>	185,00 €	WWGT05870
<i>GT EXT (14) PCB Assy</i>	140,00 €	WWGT05880
<i>Other Options</i>		
<i>Real Time Clock</i>	90,00 €	CV617431A

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





RFID SPECIFICATIONS

Transponder:	NXP	I-code SLI	112 bytes
	TI	Tag-it HF-I	256 bytes
	Infineon	My-d	992 bytes


- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - UID reading and printing as text and Barcode

GT408e / 412e >HF<

Standard: ISO/IEC 15693 · Frequency: 13,56 MHz

PRINTER SPECIFICATIONS

Resolution	203 / 305 dpi (8 / 12 dots/mm)
Print Speed	up to 300 mm (11,8")
Print Width	104 mm (4,1")
Print Length	2.500 mm (98,4") / 1.500 mm (59,1")
Memory	6 MB
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, USB, IEEE1284, LAN, WLAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
GT408e HF (RFID) w/o Interface	3.150,00 €	on request	●	●	●	
GT412e HF (RFID) w/o Interface	3.500,00 €	on request		●	●	●

DELIVERY CONTENT

Quick Guide, Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3





RFID SPECIFICATIONS

Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 300 mm (11,8")
Print Width	104 mm (4,1")
Print Length	2500 mm (98,4") / 1500 mm (59,1")
Memory	6 MB
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces (Optional)	1st Slot: Mini LAN only 2nd Slot: RS-232C, IEEE1284, LAN, WLAN 3rd Slot: 14-pin or 25-pin Ext Signal Board
Dimensions (H x W x D)	305 mm x 271 mm x 455 mm
Weight	15 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

GTe408e UHF (RFID) w/o Interface	3.590,00 €	WWGT0C002	•	•	•	•		
GTe408e UHF (RFID) Serial Interface	3.690,00 €	WWGT09C32	•	•	•	•		
GTe408e UHF (RFID) Parallel Interface	3.690,00 €	on request	•	•	•	•		
GTe408e UHF (RFID) USB	3.710,00 €	on request	•	•	•	•		
GTe408e UHF (RFID) Mini LAN	4.035,00 €	on request	•	•	•	•		
GTe408e UHF DIP (RFID) w/o Interface	3.590,00 €	WWGT08C02	•		•	•	•	
GTe408e UHF DIP (RFID) Serial Interface	3.690,00 €	WWGT08C32	•		•	•	•	
GTe412e UHF DIP (RFID) WLAN	4.620,00 €	WWGT08C82	•		•	•	•	
GTe412e UHF (RFID) w/o Interface	3.990,00 €	WWGT12C12		•	•	•	•	
GTe412e UHF DIP (RFID) w/o Interface	3.990,00 €	WWGT12C02		•	•	•	•	

DELIVERY CONTENT

Quick Guide, Euro Power Plug
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3



M10e TT / M10e DT



PRINTER SPECIFICATIONS

Resolution	305 dpi
Print Speed	125 mm (5")
Print Width	267 mm (10,5")
Print Length	420 mm (16,5")
Memory	16 MB SDRAM; 6 MB Flash
Controls	5-button panel; adjustable LCD display
Cabinet	Plastic
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	320 mm x 475 mm x 315 mm
Weight	23 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS				
M10e TT	5.515,00 €	WWM102002	●	●	●	●	●
M10e DT	4.995,00 €	WWM103002	●	●	●	●	●

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Power Cord
Manual CD
Ribbon Core
Head Cleaning Sheet

Note: Printer CD (manuals, etc.) needs to be
ordered separately: Y98133040022.

Please use "SATO Prod. Code" where
shown.

Version 3.3





M10e TT / M10e DT PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

USB Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



M10e TT / M10e DT PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Cutter for M10e

1.400,00 €

WWM105100

*Stacker for M10e; Stackable size: Width 127 – 297 mm;
Length 67 – 117 mm; Storable quantity: 150 pcs*

210,00 €

WWM105600

*Unwinder UWM10e (passive) for M10e;
max. outer diameter 200 mm*

1.195,00 €

WWM105400

Memory Extensions

PCB for PCMCIA Memory Card for enhanced Series

220,00 €

RJ4770100

PCMCIA SRAM, battery powered; 1 MB 16 bit

121,00 €

Y98133080001

PCMCIA SRAM, battery powered; 2 MB 16 bit

255,00 €

Y98133080002

PCMCIA Memcard SRAM 4 MB with attribute

335,00 €

Y98133080007

*Internal Flash memory 6 MB (2+4); 2 MB for Printer
Firmware; 4 MB User; Flash Mem. Module needs to be
replaced on PCB. Internal Flash Extension could be used
in combination with PCMCIA Memory extension
(max 8 MB).*

200,00 €

WWCL45900

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



M5900Rve



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	150 mm (6")
Print Width	112 mm (4,4")
Print Length	1249 mm (49")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Plastic
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	285 mm x 322 mm x 261 mm
Weight	10,3 kg

DT	TT	203 dpi	Plastic Cover	External Signal Interface	Second IF Slot for e-series interfaces	PCMCIA Extension Slot
----	----	---------	---------------	---------------------------	--	-----------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS						
M5900Rve	1.295,00 €	WW5900002	●	●	●	●	●	●	●
M5900Rve with Cutter	1.762,00 €	WW5900102	●	●	●	●	●	●	●
M5900Rve with Dispenser	1.459,00 €	WW5900202	●	●	●	●	●	●	●

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Power Cord
Manual CD

Note: Printer CD (manuals, etc.) needs to be
ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a
"Prod. Code RoHS" is not shown.

Version 3.3



M5900Rve PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

USB Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Other Options

Real Time Clock

90,00 €

CV617431A

Dispenser for M5900

95,00 €

WW5905200

Cutter Kit

595,00 €

WW5905100

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



M5900Rve PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Memory Extensions

<i>PCB for PCMCIA Memory Card for enhanced Series</i>	220,00 €	RJ4770100
<i>PCMCIA SRAM, battery powered; 1 MB 16 bit</i>	121,00 €	Y98133080001
<i>PCMCIA SRAM, battery powered; 2 MB 16 bit</i>	255,00 €	Y98133080002
<i>PCMCIA Memcard SRAM 4 MB with attribute</i>	335,00 €	Y98133080007
<i>Memory Module Flash Memory (Expd.)</i>	195,00 €	RJ7770300

Note:
for M5900RV non-enhanced use:

<i>Memcard PCMCIA SRAM 1 MB with attribute</i>	160,00 €	Y98133080005
<i>Memcard PCMCIA SRAM 2 MB with attribute</i>	230,00 €	Y98133080006
<i>Memcard PCMCIA SRAM 4 MB with attribute</i>	335,00 €	Y98133080007

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



M84Pro



PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	254 mm (10") / 200 mm (7,9") / 150 mm (6")
Print Width	104 mm (4,1")
Print Length	1249 mm (49") / 833 mm (32,8") / 356 mm (14")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; adjustable LCD display
Cabinet	Metal
Interfaces	1st slot: optional e-series interfaces (choice of 1) 2nd slot: External Signal Interface; installed as Standard
Dimensions (H x W x D)	341 mm x 435 mm x 265 mm
Weight	18 kg

DT	TT	203 dpi	305 dpi	609 dpi	Metal Construction	External Signal Interface	Second IF Slot for e-series interfaces	PCMCIA Extension Slot
----	----	---------	---------	---------	--------------------	---------------------------	--	-----------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS							
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--	--	--

M84Pro 203 dpi	2.370,00 €	WWM842002	•	•	•			•	•	•	•
M84Pro 305 dpi	3.050,00 €	WWM843002	•	•		•		•	•	•	•
M84Pro 609 dpi	3.595,00 €	WWM846002	•	•			•	•	•	•	•

Interface board needs to be ordered separately; not included in listprice.

DELIVERY CONTENT

Quick Guide
Euro Power Plug
SATO Printer CD
Specify Country specific plug with DI/delivery instruction

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where shown.

Version 3.3



M84Pro PRINTER OPTIONS



PRODUCT DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

RS232C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

USB Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

RS422 / 485 Interface

190,00 €

RJ1772500

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



M84Pro PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Other Options

Cutter (Rotary)

750,00 €

WWM845100

Dispenser (no Liner Rewinder)

234,00 €

WWM845200

Memory Extensions

PCB for PCMCIA Memory Card for enhanced Series

220,00 €

RJ4770100

PCMCIA SRAM, battery powered; 1 MB 16 bit

121,00 €

Y98133080001

PCMCIA SRAM, battery powered; 2 MB 16 bit

255,00 €

Y98133080002

PCMCIA Memcard SRAM 4 MB with attribute

335,00 €

Y98133080007

Flash Card with expanded Memory

195,00 €

R02165000

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



DR3



PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	125 mm (4,9")
Print Width	80 mm (3,2")
Print Length	178 mm (7")
Memory	8 MB Flash
Controls	Backlit LCD (8 digits x 2 lines) 2 Control Buttons
Cabinet	Plastic
Interfaces	RS-232C D-SUB9 pins (exclusively for Keypad); EXT I/O Interface Optional: enhanced series interfaces
Dimensions (H x W x D)	240 mm x 211 mm x 350 mm
Weight	8 kg

Resolution 203 dpi	DT/TT	RS-232C D-SUB9 pins	External Port Connector
--------------------	-------	---------------------	-------------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS			
---------	------------	-----------------------------------	-----------------------------	--	--	--

DR3	1.495,00 €	WWDR30002	•	•	•	•											
DR3 Offline Package consisting of	1.950,00 €	WWDR30502															
DR3 Printer		WWDR30002															
Calendar IC		WWDR35900	•	•	•	•											
Keypad		WWDR35500															
Multi Card Reader		Y98122050001															
2GB SD Card SanDisk		Y98122050002															
All printer DVD		Y98133040022															

Interface board needs to be ordered separately;
not included in listprice.

DELIVERY CONTENT

Supply Assy (100 mm OD)
Ferrite Cores
Power Plug
Ribbon Rewind Core
Quick Start Guide (EN, GER)
Printhead Cleaning Sheet



DR PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
Cutter	275,00 €	WWDR35100
Dispenser (same colour as printer)	95,00 €	WWDR35200
Dispenser (slightly different colour as printer) - available until stock has been cleared	65,00 €	WDR306202
Rewinder	215,00 €	WWDR35300
Stacker (same colour as printer)	88,00 €	WWDR35600
Stacker (slightly different colour as printer) - available until stock has been cleared	50,00 €	WDR306602
Calender IC	85,00 €	WWDR35900
Keypad	305,00 €	WWDR35500
SanDisk SD card 2 GB Ultra II <i>Note: Keypad supports SD Card up to 2GB. Not all manufacturers supported. Recommended Card: SanDisk</i>	70,00 €	Y98122050002
Single Slot Multi Card Reader with USB Connector	50,00 €	Y98122050001

Continuing on next page.

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



DR PRINTER OPTIONS



PRINTER OPTIONS DESCRIPTION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Interfaces

New Silex wired LAN for enhanced

455,00 €

WWGT45040

USB Enhanced Interface RoHS

120,00 €

WWCL45020

RS232C Enhanced Interface RoHS

100,00 €

WWCL45032

IEEE1284 Enhanced Interface RoHS

100,00 €

WWCL45060

Wireless Mini LAN for enhanced

630,00 €

WWCL45082

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3






LT408

PRINTER SPECIFICATIONS

Resolution	203 dpi
Print Speed	150 mm (5,9")
Print Width	104 mm (4,1")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 4 MB Flash
Controls	Multi-funcional buttons, large LCD display
Cabinet	Metal
Interfaces	Interfaces RS-232C (25 Pin), IEEE1284, USB, LAN, WLAN, RS-422/485, Centronics
Dimensions (H x W x D)	270 mm x 330 mm x 271 mm
Weight	9,7 kg




PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

LT408 Left
with 14 pin I/O Interface

2.150,00 €

WLT408872




LT408 Right
with 14 pin I/O Interface

2.150,00 €

WLT408972



Interface board needs to be ordered separately;
not included in listprice.



DELIVERY CONTENT

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





LT408 PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
---------------------	------------	-----------------------------------

Linerless Kit

On request

Real Time Clock

90,00 €

CV617431A

Interfaces

RS2332C Interface for enhanced

100,00 €

WWCL45032

Centronics

100,00 €

RJ1772001

IEEE 1284 Parallel

100,00 €

WWCL45060

RS422/485 Interface

190,00 €

RJ1772500

USB Interface

120,00 €

WWCL45020

LAN Interface for enhanced (Standard Slot)

455,00 €

WWGT45040

Wireless Mini LAN

630,00 €

WWCL45082

External Signal Interface (I/O) 25 PIN, SubD

83,85 €

WLT405880

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3







M84...Se

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi
Print Speed	300 mm (11,8")
Print Width	128 mm (5")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 2 MB Flash
Controls	
Cabinet	Metal
Interfaces	ECP Parallel (IEEE 1284), RS232 Seriell, RS232 Highspeed, LAN, WLAN, USB
Dimensions (H x W x D)	302 mm x 265 mm x 417 mm
Weight	11,5 kg



Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Thermal Transfer	Print Width 112 mm	Print Width 128 mm	Print Width 152 mm	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	------------------	--------------------	--------------------	--------------------	-------------------------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS							
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--	--	--

M8459Se Left 203 dpi (only DT)	3.479,00 €	WW8450802	•	•		•				•
M8460Se Left 203 dpi	5.274,00 €	WW8460802	•	•		•		•	•	•
M8460Se Right 203 dpi	5.274,00 €	WW8460902		•	•	•		•	•	•
M8465Se LH 305 dpi	5.774,00 €	WW8461802	•		•	•		•	•	•
M8465Se RH 305 dpi	5.774,00 €	WW8461902		•	•	•		•	•	•
M8485Se Left 203 dpi	3.995,00 €	WW8480802	•		•	•		•		•
M8485Se Right 203 dpi	3.995,00 €	WW8480902		•	•	•		•		•
M8490Se Left 305 dpi	4.601,00 €	WW8490802	•		•	•	•			•
M8490Se Right 305 dpi	4.601,00 €	WW8490902		•	•	•	•			•

Interface board needs to be ordered separately; not included in listprice.

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.


Please use "SATO Prod. Code" where shown.

Version 3.3





M84...Se PRINTER OPTIONS



PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
---------------------	------------	-----------------------------------

Interfaces

<i>RS232C Interface for Enhanced</i>	100,00 €	WWCL45032
--------------------------------------	----------	-----------

<i>Centronics</i>	100,00 €	RJ1772001
-------------------	----------	-----------

<i>IEEE 1284 Parallel</i>	100,00 €	WWCL45060
---------------------------	----------	-----------

<i>RS422/485 Interface</i>	190,00 €	RJ1772500
----------------------------	----------	-----------

<i>USB Interface</i>	120,00 €	WWCL45020
----------------------	----------	-----------

<i>LAN Interface for enhanced (Standard Slot)</i>	455,00 €	WWGT45040
---	----------	-----------

<i>Wireless LAN – 802.11b</i>	630,00 €	WWCL45082
-------------------------------	----------	-----------

<i>Twinax/Coax Interface</i>	1.040,00 €	WLT405880
------------------------------	------------	-----------

Memory Extensions

<i>PCB for PCMCIA Memory Card for enhanced Series</i>	220,00 €	RJ4770100
---	----------	-----------

<i>PCMCIA SRAM, battery powered; 1 MB 16 bit</i>	121,00 €	Y98133080001
--	----------	--------------

<i>PCMCIA SRAM, battery powered; 2 MB 16 bit</i>	255,00 €	Y98133080002
--	----------	--------------

<i>PCMCIA Memcard SRAM 4 MB with attribute</i>	335,00 €	Y98133080007
--	----------	--------------

<i>Extension Flash Memory</i>	195,00 €	R11304000
-------------------------------	----------	-----------


Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





M84...Se SERVICE KITS




PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Full Service Kit for M8485Se (LH)</i>	645,00 €	Y99133010001
<i>Full Service Kit for M8485Se (RH)</i>	679,00 €	Y99133010002
<i>Standard Service Kit for M8485Se (LH/RH)</i>	449,00 €	Y99133010003
<i>Full Service Kit for M8490Se (LH)</i>	755,00 €	Y99133010004
<i>Full Service Kit for M8490Se (RH)</i>	788,00 €	Y99133010005
<i>Standard Service Kit for M8490Se (LH/RH)</i>	493,00 €	Y99133010006
<i>Full Service Kit for M8460Se (LH)</i>	619,00 €	Y99133010007
<i>Full Service Kit for M8460Se (RH)</i>	653,00 €	Y99133010008
<i>Standard Service Kit for M8460Se (LH/RH)</i>	423,00 €	Y99133010009
<i>Full Service Kit for M8465Se (LH)</i>	728,00 €	Y99133010010
<i>Full Service Kit for M8465Se (RH)</i>	762,00 €	Y99133010011
<i>Standard Service Kit for M8465Se (LH/RH)</i>	467,00 €	Y99133010012
<i>Standard Service Kit for M8459Se (LH)</i>	389,00 €	Y99133010013

Service Kits are part of our Spare Parts

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3





M84...Se >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi (8/12 dot/mm)
Print Speed	up to 300 mm (11,8")
Print Width	112 mm / 128 mm / 152 mm (4,4" / 5" / 5,9")
Print Length	1249 mm (49,2")
Memory	16 MB SDRAM; 2 MB Flash
Controls	2-button panel; LCD display
Cabinet	Metal
Interfaces (optional)	1 Slot: RS-232C, USB, IEEE1284, LAN, WLAN
Interface (fix)	14 pin Ext Signal
Dimensions (H x W x D)	302 mm x 265 mm x 417 mm
Weight	11,5 kg

RFID SPECIFICATIONS

Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19

- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Print Width 112 mm	Print Width 128 mm	Print Width 152 mm	Standard E-field	DIP H-field
----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------	--------------------	------------------	-------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS					
---------	------------	-----------------------------------	-----------------------------	--	--	--	--	--

M8485Se RH UHF (RFID) w/o Interface	6.400,00 €	Y54169222876		•	•		•	•
M8485Se LH UHF (RFID) w/o Interface	6.400,00 €	Y54169223434	•		•		•	•
M8485Se LH UHF DIP (RFID) w/o Interface	6.790,00 €	Y54169225625	•		•		•	•
M8460Se RH UHF (RFID) w/o Interface	7.700,00 €	WW846C922		•	•		•	•
M8460Se LH UHF (RFID) w/o Interface	7.700,00 €	WW846C912	•		•		•	•
M8490Se RH UHF (RFID) w/o Interface	6.950,00 €	on request		•	•	•		•
M8490Se LH UHF (RFID) w/o Interface	6.950,00 €	on request	•		•	•		•

Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

Version 3.3





S84xx LH/RH STANDARD



Picture shows S84xx with cassette.

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	up to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-funcional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassete (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	-------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE


PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

S8408 LH Standard (203 dpi)	3.950,00 €	WS8406802	•	•			•
S8408 RH Standard (203 dpi)	3.950,00 €	WS8406902		•	•		•
S8412 LH Standard (305 dpi)	4.380,00 €	WS8416802	•		•		•
S8412 RH Standard (305 dpi)	4.380,00 €	WS8416902		•	•		•
S8424 LH Standard (609 dpi)	5.330,00 €	WS8426802	•		•		•
S8424 RH Standard (609 dpi)	5.330,00 €	WS8426902		•	•		•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.



DELIVERY CONTENT

Quick Guide
Euro Power Plug

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





S84xx LH/RH WITH RIBBON CASSETTE



Picture shows S84xx with cassette.

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-funcional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassette (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE


PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

S8408 LH with Cassette (203 dpi)	4.380,00 €	WS8408802	•	•	•	•	•
S8408 RH with Cassette (203 dpi)	4.380,00 €	WS8408902	•	•	•	•	•
S8412 LH with Cassette (305 dpi)	4.760,00 €	WS8412802	•	•	•	•	•
S8412 RH with Cassette (305 dpi)	4.760,00 €	WS8412902	•	•	•	•	•
S8424 LH with Cassette (609 dpi)	5.890,00 €	WS8424802	•	•	•	•	•
S8424 RH with Cassette (609 dpi)	5.890,00 €	WS8424902	•	•	•	•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.



DELIVERY CONTENT

Quick Guide
Euro Power Plug

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





S84xx LH/RH WITH RIBBON SAVER



Picture shows S84xx with cassette.

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-funcional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassete (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	-------------------------------	-----------------------------	-------------------------------

PRODUCT

LIST PRICE


PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

S8408 LH with Ribbon Saver (203 dpi)	4.760,00 €	WS8403802	•		•			•	•
S8408 RH with Ribbon Saver (203 dpi)	4.760,00 €	WS8403902		•	•			•	•
S8412 LH with Ribbon Saver (305 dpi)	5.140,00 €	WS8413802	•			•		•	•
S8412 RH with Ribbon Saver (305 dpi)	5.140,00 €	WS8413902		•		•		•	•
S8424 LH with Ribbon Saver (609 dpi)	6.290,00 €	WS8423802	•			•		•	•
S8424 RH with Ribbon Saver (609 dpi)	6.290,00 €	WS8423902		•		•		•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot

To be continued on the next page.



DELIVERY CONTENT


Quick Guide
Euro Power Plug

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





S84xx LH/RH WITH RIBBON SAVER & CASSETTE



Picture shows S84xx with cassette.

PRINTER SPECIFICATIONS

Resolution	203 dpi / 305 dpi / 609 dpi
Print Speed	upt to 400 mm/s (16")
Print Width	104 mm (4,09")
Print Length	up to 2.500 mm (98,43")
Memory	16 MB SDRAM; 4 MB Flash Memory Module internal
Controls	Multi-funcional buttons, large LCD display
Cabinet	Metal
Interfaces	Standard: Ext. Connector 14 Pin I/O Optional: RS-232C (25 Pin), IEEE1284, USB, LAN, Wireless LAN (802.11b), RS-422/485, Centronics
Dimensions (H x W x D)	300 x 245 x 408 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Ribbon Cassete (preinstalled)	Ribbon Saver (preinstalled)	External 14 Pin I/O Interface
----------------------	-----------------------	--------------------	--------------------	--------------------	-------------------------------	-----------------------------	-------------------------------

PRODUCT


LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

STANDARD FEATURES / OPTIONS

S8408 LH with Ribbon Saver + Cassette (203 dpi)	5.140,00 €	WS8401802	•		•		•	•	•
S8408 RH with Ribbon Saver + Cassette (203 dpi)	5.140,00 €	WS8401902		•	•		•	•	•
S8412 LH with Ribbon Saver + Cassette (305 dpi)	5.690,00 €	WS8411802	•			•	•	•	•
S8412 RH with Ribbon Saver + Cassette (305 dpi)	5.690,00 €	WS8411902		•	•		•	•	•
S8424 LH with Ribbon Saver + Cassette (609 dpi)	6.670,00 €	WS8421802	•			•	•	•	•
S8424 RH with Ribbon Saver + Cassette (609 dpi)	6.670,00 €	WS8421902		•		•	•	•	•

Interface board NOT Included in the List Price (needs to be ordered separately)
Two types available: 1. Standard I/F Slot; 2. Mini I/F Slot



DELIVERY CONTENT

Quick Guide
Euro Power Plug

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





S84xx LH/RH PRINTER OPTIONS



Picture shows S84xx with cassette.

PRODUCT DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
<i>Spare Ribbon Cassette LH (for preloading carbon ribbon)</i>	525,00 €	WS8405800
<i>Spare Ribbon Cassette RH (for preloading carbon ribbon)</i>	525,00 €	WS8405900
<i>LVDS Kit (a cable for allowing the operational panel to be accessed from a few meters away)</i>	246,73 €	WWS845900
<i>Top I-Mark Sensor Kit LH for detecting top side I-marks</i>	135,00 €	WS8405700
<i>Top I-Mark Sensor Kit RH for detecting top side I-marks</i>	135,00 €	WS8405710
<i>Linerless Kit</i>	275,00 €	WWS845500
Interfaces		
<i>RS232C Interface for enhanced</i>	100,00 €	WWCL45032
<i>Centronics</i>	100,00 €	RJ1772001
<i>IEEE 1284 Parallel</i>	100,00 €	WWCL45060
<i>USB Interface</i>	120,00 €	WWCL45020
<i>LAN Interface for enhanced (Standard Slot)</i>	455,00 €	WWGT45040
<i>Wireless Mini LAN for enhanced</i>	630,00 €	WWCL45082
<i>RS422 / 485 Interface</i>	190,00 €	RJ1772500

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.





S84... >UHF<

Standard: ISO/IEC 18.000-6 · Frequency: 868 MHz

PRINTER SPECIFICATIONS

Resolution	203 / 305 / 609 dpi (8 / 12 / 24 dots/mm)
Print Speed	up to 400 / 350 / 150 mm/s
Print Width	104 mm (4,09")
Print Length	up to 2.500 / 1.500 mm (98,43 / 59,06")
Memory	16 MB SDRAM; 4 MB Flash
Controls	Multifunction Display Panel
Cabinet	Metal
Interfaces	1st Slot: RS-232C, USB, IEEE1284, LAN, WLAN 2nd Slot: 14-pin or 25-pin Ext Signal Board
Clock	real time clock
Dimensions (H x W x D)	300 x 245 x 478 mm [Basic Chassis]
Weight	15,5 kg (Std.), 16,0 kg (with Ribbon Cass.)

RFID SPECIFICATIONS


- Protocols: Matrics 0+, EPC Gen 1 Class 1, EPC Gen 1 Class 0, EPC Gen 2 Class 1, NXP UCODE 1.19
- RFID Features:
- Fully integrated UHF RFID Reader/Encoder Module
 - RFID calibration function for optimal transponder performance
 - void marking of damaged or unreadable Transponders
 - RFID data verification after programming
 - Multiple RFID power settings allow users to use individual Transponder sizes
 - XML-enabled printing
 - DIP (Direct Inlay Printing) allows to use short pitch labels down 4 mm
 - PWP function allows flexible Inlay positions
 - TID reading and printing as text and Barcode

Gen2 Memory: Expanded EPC (240bit), User Memory (512bit), TID (64bit), Access password (16bit), Kill password (16bit), Lock

Media Path Left Hand	Media Path Right Hand	Resolution 203 dpi	Resolution 305 dpi	Resolution 609 dpi	Standard E-field	DIP H-field
----------------------	-----------------------	--------------------	--------------------	--------------------	------------------	-------------

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

S8408 RH Standard UHF (RFID) w/o Interface	5.650,00 €	on request	• • • • • •
S8408 RH Cassette UHF (RFID) w/o Interface	6.080,00 €	on request	• • • • • •
S8408 LH Standard UHF (RFID) w/o Interface	5.650,00 €	on request	• • • • • •
S8408 LH Cassette UHF (RFID) w/o Interface	6.080,00 €	on request	• • • • • •



Note: Printer CD (manuals, etc.) needs to be ordered separately: Y98133040022.

SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

- Interfaces
- Memory Extensions
- Smart Keyboards
- Unwinders
- Rewinders
- S70 Label Dispenser
- Cleaning Kits
- DC / DC Converters

SOFTWARE

PRINTHEADS / PLATEN ROLLER



INTERFACES



INTERFACE SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	LM4xxe	CL4/6xxe; S-Types	GL4xx	M5900Rve	M84 Pro	M10e	XL4xxe	GT4xxe	CT4xx-C	CT4xx-i (Type 1)
<i>RS232C Interface for enhanced</i>	100,00 €	WWCL45032	•	•		•	•	•	•	•		
<i>Centronics</i>	100,00 €	RJ1772001	•	•		•	•	•	•	•		
<i>IEEE 1284 Parallel</i>	100,00 €	WWCL45060	•	•		•	•	•	•	•		
<i>USB Interface</i>	120,00 €	WWCL45020	•	•		•	•	•	•	•		
<i>LAN Interface for enhanced (Standard Slot)</i>	455,00 €	WWGT45040	•	•		•	•	•	•	•		
<i>Wireless Mini LAN for enhanced</i>	630,00 €	WWCL45082	•	•		•	•	•	•	•		
<i>RS422 / 485 Interface</i>	190,00 €	RJ1772500	•	•		•	•	•	•	•		
<i>GT Mini LAN Interface</i>	445,00 €	WGT405842								•		
<i>IEEE1284 for a CT4xx</i>	75,00 €	WWCT45060									•	•
<i>Serial Interface RS232C for CT (9.600 – 57.600 bps)</i>	100,00 €	WWCT45032									•	
<i>USB Interface</i>	141,00 €	WWCT45020									•	
<i>Wireless LAN Interface CT4xxi</i>	575,00 €	WWCT45082										•
<i>Bluetooth Interface</i>	225,00 €	WWCT55070									•	•
<i>Internal LAN Interface</i>	230,00 €	WWGL15040			•							

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



INTERFACES



INTERFACE SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	LM4xxe	CL4-6xxe	M5900RVe	M84 Pro	M10e	HT200e	GL4xx	XL-GT4xxe	CT4xx-C	CT4xx-i (Type 1)	S84xx
Internal WLAN Interface; 802.11g (firmware ≥ 368454 needed)	395,00 €	WWGL25080							•				
Interface Cables													
Serial Interface Cable SATO enhanced Series and CT4xx 9:25*	35,00 €	Y54199223592	•	•	•	•	•			•	•	•	
GL4xx Serial Interface Cable 9:9*	35,00 €	Y54199223591							•				
Serial Interface cable for 9:9 HT200e*	35,00 €	Y54199223835						•					
Centronics parallel cable. 36centronics-25male	6,00 €	Y54138417475	•	•	•	•	•		•	•	•	•	
USB Interface Cable	6,00 €	Y54199128957	•	•	•	•	•		•	•	•	•	


Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

* SLE Stock Item

Version 3.3



MEMORY EXTENSIONS



MEMORY EXTENSIONS DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	LM4xxe	CL4xxe	CL6xxe	M5900Rve/M84xxe	M84 Pro	M10e	XL4xxe	GT4xxe	GL4	HT200e	DR300/M5900RV/CL4
<i>Memory Module Flash Memory (Expd.) for CL4xxe / CL6xxe / M5900Rve / M8400Rve</i>	195,00 €	RJ7770300		•	•	•	•						
<i>Flash Card with expanded memory for M84 Pro</i>	195,00 €	R02165000					•						
<i>Extension Flash Memory for M84xxe Printers</i>	145,00 €	R11304000				•							
<i>Extension Flash Memory for XL4xxe Printers</i>	490,00 €	R00079001							•				
<i>PCB for PCMCIA Memory Card for enhanced Series</i>	220,00 €	RJ4770100	•	•	•	•	•	•	•				
<i>PCMCIA SRAM, battery powered; 1 MB 16 bit</i>	121,00 €	Y98133080001	•	•	•	•	•	•	•				
<i>PCMCIA SRAM, battery powered; 2 MB 16 bit</i>	255,00 €	Y98133080002	•	•	•	•	•	•	•				
<i>Memcard PCMCIA SRAM 1 MB with attribute for HT200e</i>	121,00 €	Y98133080003										•	
<i>Memcard PCMCIA SRAM 1 MB</i>	160,00 €	Y98133080005	•	•	•	•	•	•	•			•	•
<i>Memcard PCMCIA SRAM 2 MB</i>	230,00 €	Y98133080006	•	•	•	•	•	•	•			•	•
<i>Memcard PCMCIA SRAM 2 MB with attribute for HT200e</i>	199,00 €	Y98133080004										•	
<i>Memcard PCMCIA SRAM 4 MB with attribute</i>	335,00 €	Y98133080007	•	•	•	•	•	•	•			•	•
<i>Memory cartridge</i>	180,00 €	WWGL159KE									•		
<i>Memory cartridge</i>	180,00 €	WGT405902								•			

SMART KEYBOARDS



SMART KEYBOARDS SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
-------------------------------	------------	-----------------------------------

Smart Keyboard for Enhanced Series
 - incl. Smart Keyboard K012Plus
 - CD for Keyboard
 - Modified Serial Interface (modification of WWCL45032); 5V on DB25 Pin9
 - Smart Keyboard Download Cable Y98133170002
 - Serial Adapter 9/25

415,00 €

Y98188010009

Smart Keyboard for CX4xx/CG4 Printers
 - incl. Smart Keyboard K012Plus
 - CD for Keyboard
 - Smart Keyboard Download Cable Y98133170002

365,00 €

Y98188010010

Smart Keyboard Kit for CT4xxi Printers (Type 1 only!)
 - Smart Keyboard K012 plus; Dipswitch set to "Standard"
 - CD for Smart Keyboard
 - Serial Adapter 9/25 Pin
 - Smart Keyboard Serial Interface Cable incl. Power Supply

395,00 €

Y98188010013

Smart Keyboard Kit for GL4 Printers
 - Smart Keyboard K012 plus; Dipswitch set to "Standard"
 - CD for Smart Keyboard
 - Serial Adapter 9/25 Pin
 - Smart Keyboard Serial Interface Cable incl. Power Supply

395,00 €

Y54199225227

Smart Keyboard K012 plus

340,00 €

Y98133050001

Smart Keyboard Download Cable

21,20 €

Y98133170002

GL4xx/CT4i Smart Keyboard Serial Interface Cable, incl. Power Supply

35,00 €

Y54199223215

Serial Adapter 9-25pin

6,00 €

Y98133050003

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.



UNWINDER Unit Roll diameter 260 mm



UNWINDER SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Label width 50 mm (2"), Roll diameter 260 mm

**UW2S, Unwinder unit,
SATO CG2**

135,00 €

Y99122140001

Label width 130 mm (4"), Roll diameter 260 mm

**UW5S, Unwinder unit,
SATO CL4e, SATO LM4e**

150,00 €

Y99122140002

**UW5S, Unwinder unit,
SATO M84 Pro**

150,00 €

Y99122140013

**UW5S, Unwinder unit,
SATO CG4**

150,00 €

Y99122140003

**UW5S, Unwinder unit,
SATO CT4i**

150,00 €

Y99122140004

**UW5S, Unwinder unit,
SATO GL4e**

150,00 €

Y99122140005

Label width 180 mm (6"), Roll diameter 260 mm

**UW6S, Unwinder unit,
SATO CL6e**

220,00 €

Y99122140006

Max out diameter 260 mm

**UWM10e (unwinder passive) for M10e;
max. outer diameter 200 mm**

1.195,00 €

WWM105400



Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

UNWINDER Unit Roll diameter 360 mm



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Label width 50 mm (2"), Roll diameter 360 mm

**UW2L, Unwinder unit,
SATO CG2**

420,00 €

Y99122140007

Label width 130 mm (4"), Roll diameter 360 mm

**UW5L, Unwinder unit,
SATO CL4e, SATO LM4e**

485,00 €

Y99122140008

**UW5L, Unwinder unit,
SATO M84 Pro**

485,00 €

Y99122140014

**UW5L, Unwinder unit,
SATO CG4**

485,00 €

Y99122140009

**UW5L, Unwinder unit,
SATO CT4i**

485,00 €

Y99122140010

**UW5L, Unwinder unit,
SATO GL4e**

485,00 €

Y99122140011

Label width 180 mm (6"), Roll diameter 360 mm

**UW6L, Unwinder unit,
SATO CL6e**

485,00 €

Y99122140012



Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

R 200
incl. Power Supply, max. label width: 120 mm

455,00 €

Y98133070013

RWG 500, max. media width: 131 mm
incl. cable to connect to SATO printers with I/O Interface (Standard on: CL4, CL6; M84Pro; M5900Rve; M10e). Printers without I/O interface (such as GL4) need optional RWG Power Supply WRWG55002).

640,00 €

WWRW55300

RWG 500 6 inch expansion kit
max. media width 180 mm

70,00 €

WWGT05970

RWG 500 AC Adapter + Power Cord (EX2)

285,00 €

K00304000

RWX401e
Rewinder for XL400

539,00 €

WWXL45300

Rewinder - Rewind the printed label for "on-the-go" applications



RWG500

- Maximum winding length: 300 m (3-inch tube)
- Maximum outer diameter: 265 mm



RWX401e

- Optimal width: 32-80 mm
- Maximum winding length: 100 mm
- Max. outer diam.: 150 mm

Models

- M5900Rve
- GTe Series
- M84Pro
- CL6XXe Series
- CL4XXe Series

Models

- XL400e/410e

OPTION

PRODUCT NAME

Label Rewinder


RWG500
RWX401e
R200



Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.



REWINDERS



REWINDERS SPECIFICATION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
-------------------------	------------	-----------------------------------

STANDARD REWINDER

AD1211-S0 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 127 MM	550,26 €	Y99122100001
---	----------	--------------

AD1221-S0 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 174 MM	603,95 €	Y99122100002
---	----------	--------------

AD1221-S1 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 174 MM, S1 SUPPORT FOR HEAVY ROLLS	711,32 €	Y99122100003
---	----------	--------------

AD1231-S1 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 244 MM, S1 SUPPORT FOR HEAVY ROLLS	797,21 €	Y99122100004
---	----------	--------------

AD2211-S0 REWINDER MAX OD ROLL 300 MM, MAX LABEL WIDTH 127 MM	577,11 €	Y99122100005
---	----------	--------------

AD2221-S2 REWINDER MAX OD ROLL 300 MM, MAX LABEL WIDTH 174 MM, S2 SUPPORT FOR HEAVY ROLLS	738,16 €	Y99122100006
---	----------	--------------

AD2231-S2 REWINDER MAX OD ROLL 300 MM, MAX LABEL WIDTH 244 MM, S2 SUPPORT FOR HEAVY ROLLS	824,05 €	Y99122100007
---	----------	--------------

AD1214-S0 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 127 MM, 3" CORE HOLDER	577,11 €	Y99122100008
---	----------	--------------

AD1224-S4 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 174 MM, 3" CORE HOLDER	671,05 €	Y99122100009
---	----------	--------------

AD1234-S4 REWINDER MAX OD ROLL 250 MM, MAX LABEL WIDTH 244 MM, 3" CORE HOLDER	756,95 €	Y99122100010
---	----------	--------------


Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

AD2214-S4

644,21 €

Y99122100011

**REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 127 MM, 3" CORE HOLDER**

AD2224-S4

684,47 €

Y99122100012

**REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 174 MM, 3" CORE HOLDER**

AD2234-S4

770,37 €

Y99122100013

**REWINDER MAX OD ROLL 300 MM, MAX LABEL
WIDTH 244 MM, 3" CORE HOLDER**

Type	Version	Roll Diameter	Speed	Label Width	Core Holder	Support
A Rewinder	D Right	1 250 mm	1 120 rpm	1 127 mm	1 40 – 118 mm	S0 Without
	S Left	2 300 mm	2 225 rpm	2 174 mm	2 1" Fixed	S1 Roll Diameter 250mm
				3 244 mm	4 3" Fixed	S2 Roll Diameter 300 mm
						S4 3" Fixed Core Holder


Continuing on next page.

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



REWINDERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

SMALL REWINDER

SRA
SMALL REWINDER WIDTH ADJUSTABLE CORE
46 – 76 MM

483,16 €

Y99122100014

SR1
SMALL REWINDER WITH FIXED CORE 1"

469,74 €

Y99122100015

SR4
SMALL REWINDER WITH FIXED CORE 3"

510,00 €

Y99122100016

Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



STACKERS



REWINDERS SPECIFICATION

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Stacker for M10e;
Stackable size: Width 127 – 297 mm;
Length 67 – 117 mm; Storable quantity: 150 pcs

210,00 €

WWM105600

Stacker for XL400e

580,00 €

WWXL05600

Stacker - Stacks labels and tags after they are printed and dispensed



STM10e

- Simplified stacker
- Stackable size:
W 127-297 mm
P 67-117 mm
 - Storable quantity:
150 pieces

Models
- M10e



STT400e

- (High Volume Stacker)
- Stackable size:
W 32-100 mm
P 25-150 mm
 - Storable quantity:
450-550 pieces

Models
- XL400e/410e



STT402e

- (Standard Stacker)
- Stackable size:
W 32-80 mm
P 25-80 mm
 - Storable quantity:
450-550 pieces

Models
- XL400e/410e

OPTION

PRODUCT NAME

Stacker

STM10e
STX402e
STX400e

HT200e	DR300 / DR310	XL400e / XL410e	CT4x0 / CX400	M5900Rve	CL/GL/LM4xxe	GTe4xxe-Serie	CL6xxe-Serie	M10e	M84Pro-Serie
		●						●	
		●							

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

S70 LABEL DISPENSER



DISPENSER SPECIFICATIONS

Label feed speed	Max. 110 mm/s (size and material etc. of the label varies depending on the usage environment)
Supported label sizes	Label Width: 15 ~ 70 mm (backing paper width 18 ~ 73 mm) Label Length: 10 ~ 150 mm, Core ID: min. 25 mm Label Roller Outer Diameter: max 120 mm
Energy saving function	Auto power off (power off for every 5 minutes of non-operation)
Protection function	Auto stop when detecting label Auto stop when detecting low battery
Optional accessories	Battery pack, battery charger, sync connector
Power supply	AC Adapter
Dimensions (H x W x D)	170 mm x 260 mm x 170 mm
Weight	15,5 kg (without battery)

PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS									
S70 Standard AC Adapter included	375,00 €	WW0070002										
Battery	145,00 €	W00075250										
Battery Charger	255,00 €	W00075300										
Multi Link cable (allows 3 S70 to dispense simultaneously)	125,00 €	W00075900										

DELIVERY CONTENT

S70 Dispenser
AC Adapter

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



CLEANING KITS



CONTENT

LIST PRICE

PROD. CODE ROHS / SATO PROD. CODE

Standard Cleaning Kit, consisting of
Printer Spray / Printhead Cleaner, 200 ml, engl.
Label & Adhesive Remover Kleb-Ex, 200 ml, engl.
Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)
Cleaning Swabs (25 pcs)
Bag, transparent/blue, with SATO Logo
Cleaning Instruction

46,95 €

Y54199224591
(deutsche Version:
Y54198402386)



Full Cleaning Kit, consisting of
Printer Spray / Printhead Cleaner, 200 ml, engl.
Label & Adhesive Remover Kleb-Ex, 200 ml, engl.
Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)
Cleaning Swabs (25 pcs)
Bag, transparent/blue, with SATO Logo
Cleaning Wipes (25 pcs)
Lapping Sheet
Air Duster, 200 ml
Cleaning Instruction

85,95 €

Y98188010014



Printer Spray/Printhead Cleaner,
200 ml, engl.

10,95 €

Y54199224592
(deutsche Version: Y54199210531)

Label & Adhesive Remover Kleb-Ex,
200 ml, engl.

10,95 €

Y54199224593
(deutsche Version: Y54199210533)

Electr. Cleaning Tissue, 16 x 16 cm (25 pcs)

13,95 €

Y54199210537



Cleaning Swabs (25 pcs)

12,95 €

Y54199210541



Cleaning Wipes (25 pieces)

7,95 €

Y98133260001



Cleaning Wipes (50 pieces)

15,50 €

Y70190103786

Lapping Sheet (incl. Introduction & Procedure)

10,95 €

Q00029000

Lapping Sheet (excl. Introduction & Procedure)

8,95 €

Y98133180001

Air Duster, 200 ml (non flammable)

19,95 €

Y98133300001



Note: Please use "SATO Prod. Code" where
a "Prod. Code RoHS" is not shown.

Version 3.3



IDC-100 Series (ISOLATED DC/DC CONVERTER)



SPECIFICATIONS

Input voltage	A Series (12Vdc nominal) 9.2-18 Vdc B Series (24Vdc nominal) 20-35 Vdc C Series (48Vdc nominal) 30-60 Vdc
Output currents available	12.5Vdc 8 Amps, 100 Watts 24.5Vdc 4 Amps, 100 Watts
Output voltage regulation	< 2 %
Input current at no load	< 25 Ma
Temperature increase after 30 minutes at full load	25 °C
Connections	Four 6.3 mm push-on flat blade connectors
Output ripple and noise	Less than 50 mV RMS
Efficiency	85 %
Dimensions (H x W x L)	49 mm x 88 mm x 152 mm
Weight	0,5 kg



PRODUCT	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE	STANDARD FEATURES / OPTIONS
---------	------------	-----------------------------------	-----------------------------

For SATO MB2xxi Series Output MB2xxi: 9 V / 4,4 A

DC/DC FOR MB2XXi 100 W A INPUT 12 V OUTPUT MB2, 9 V / 4.4 A	225,00 €	Y99122090004
--	----------	--------------

DC/DC FOR MB2XXi 100 W B INPUT 24 V OUTPUT MB2, 9 V / 4.4 A	225,00 €	Y99122090005
--	----------	--------------

DC/DC FOR MB2XXi 100 W C INPUT 48 V OUTPUT MB2, 9 V / 4.4 A	225,00 €	Y99122090006
--	----------	--------------

For SATO MB4xxi Series Output MB4xxi: 19 V / 4,9 A

DC/DC FOR MB4XXi 100 W A INPUT 12 V OUTPUT MB4, 19 V / 4,9 A	225,00 €	Y99122090001
---	----------	--------------

DC/DC FOR MB4XXi 100 W B INPUT 24 V OUTPUT MB4, 19 V / 4,9 A	225,00 €	Y99122090002
---	----------	--------------

DC/DC FOR MB4XXi 100 W C INPUT 48 V OUTPUT MB4, 19 V / 4,9 A	225,00 €	Y99122090003
---	----------	--------------

SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE Label Gallery

PRINTHEADS / PLATEN ROLLER



LABEL GALLERY 3.2 SATO PRINTER ONLY



Single User versions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
EASY -Entry level labeling software	WL3SS001E	-	220
	WL3SS001N	-	245
	WL3SS001U	USB	340
PLUS -Full featured labeling software <ul style="list-style-type: none"> LabelGallery PLUS—full feature labeling software GalleryData—database manager GalleryMemMaster—download utility for fonts and graphics 	WL3SS002E	-	475
	WL3SS002N	-	500
	WL3SS002U	USB	595
TRUEPRO -Complete labeling software solution -1 CAL memo not inclusive (user can obtain 1 CAL number from SI website for free if they need later) - design label can be exported to PocketPC. <ul style="list-style-type: none"> LabelGallery PLUS—full feature labeling software GalleryForm—data entry application generator GalleryData—database manager GalleryWatch—synchronise of label production GalleryMemMaster—download utility for fonts and graphics GalleryPrint—easy print and preview dialogue 	WL3SS003E	-	795
	WL3SS003N	-	820
	WL3SS003U	USB	915

Single User versions – Print Only

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
PLUS – Print Only -Full featured labeling software but cannot modify and design layout.	WL3SS004E	-	235
	WL3SS004N	-	260
	WL3SS004U	USB	355
TRUEPRO – Print Only -Complete labeling software solution but cannot modify and design layout. Others modules like Form/MemMaster cannot create new or modified and Database cannot create structure.	WL3SS005E	-	395
	WL3SS005N	-	420
	WL3SS005U	USB	515

Note:

U: USB and N: DLP

For WL3XXXXXU(USB hardware key) and WL3XXXXXN(DongleLess Protection key) product code, they come with LG DVD case package and are delivered from SIE to GMC.

E:Via Email (no package)

For WL3XXXXXE(DongleLess Protection key) product code, the software license key are delivered from SIE to GMC via email.

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 SATO PRINTER ONLY



Network versions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3SS011E	-	1595
	WL3SS011N	-	1620
TRUEPRO – 10 Concurrent Users	WL3SS012E	-	2395
	WL3SS012N	-	2420
TRUEPRO – 20 Concurrent Users	WL3SS013E	-	3995
	WL3SS013N	-	4020
TRUEPRO – 50 Concurrent Users	WL3SS014E	-	7995
	WL3SS014N	-	8020

Additional WinCE Client Access license pack versions

Version	Code	Hardware Key type	List Price (EURO)
Additional 5 WinCE CALs	Not Available for STD edition		
Additional 10 WinCE CALs			
Additional 20 WinCE CALs			
Additional 50 WinCE CALs			

Dealer Demo

Version	Code	Hardware Key type	List Price (EURO)
Dealer Demo	Not Available for STD edition		
Dealer Demo (via email)	Not Available for STD edition		
Dealer Demo (USB)	Not Available for STD edition		

Generic STD Package (DVD box, CDROM, Installation Guide)

Version	Code	Hardware Key type	List Price (EURO)
Generic STD Package (no license)	WL3GP0001	-	25

* This is common for both Standard and Dynamic products

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 SATO PRINTER ONLY



Damage/Lost Dongle Key

Version	Code	Hardware Key type	List Price (EURO)
EASY – LG3 replacement	WL3SF301U	USB	100
PLUS – LG3 replacement	WL3SF302U	USB	100
TRUEPRO – LG3 replacement	WL3SF303U	USB	100
PLUS PRINT ONLY – LG3 replacement	WL3SF304U	USB	100
TRUEPRO PRINT ONLY– LG3 replacement	WL3SF305U	USB	100
LG2 Dongle Replacement			
EASY – LG2 replacement	WL3SF201U	USB	100
	WL3SF201P	PL	100
PLUS – LG2 replacement	WL3SF202U	USB	100
	WL3SF202P	PL	100
TRUEPRO – LG2 replacement	WL3SF203U	USB	100
	WL3SF203P	PL	100
PLUS PRINT ONLY – LG2 replacement	WL3SF204U	USB	100
	WL3SF204P	PL	100
TRUEPRO PRINT ONLY– LG2 replacement	WL3SF205U	USB	100
	WL3SF205P	PL	100
LG1 Dongle Replacement			
Not Supported			

Hardware Key Replacement Condition for customers/resellers:

Guarantee Period

Hardware keys are under guarantee, valid for the period of two years, from the date of purchase. Cost: Nil.

Damage key

Hardware keys older than two years and keys that are damaged key will be replaced upon the return of the damaged key. See cost above.

Lost key

Lost keys will be replaced only if there is proof of purchase. See cost above.

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **SATO PRINTER ONLY**



Single User versions – Upgrade (valid From LG3/LG2 only)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
EASY	WL3SU001E	-	110
- major version upgrade	WL3SU001N	-	135
PLUS	WL3SU002E	-	235
- major version upgrade	WL3SU002N	-	260
TRUEPRO	WL3SU003E	-	395
- major version upgrade	WL3SU003N	-	420

**** Upgrade from LG1 or lower → Please refer to full package part number and prices**

Single User versions- Print Only – Upgrade (valid From LG3/LG2 only)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
PLUS PRINT ONLY	WL3SU004E	-	155
- major version upgrade	WL3SU004N	-	180
TRUEPRO PRINT ONLY	WL3SU005E	-	235
- major version upgrade	WL3SU005N	-	260

**** Upgrade from LG1 or lower → Please refer to full package part number and prices on**

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **SATO PRINTER ONLY**



Upgrade Prices to Network 3.x versions from previous Network 2.x only

From same Network editions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3SU111E	-	795
	WL3SU111N		820
TRUEPRO – 10 Concurrent Users	WL3SU112E	-	1195
	WL3SU112N		1220
TRUEPRO – 20 Concurrent Users	WL3SU113E	-	1995
	WL3SU113N		2020
TRUEPRO – 50 Concurrent Users	WL3SU114E	-	3595
	WL3SU114N		3620

**** Upgrade from LG1 or lower → Please refer to full package part number and prices**

From single user version (valid for LG3/LG2)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3SU211E	-	1195
	WL3SU211N		1220
TRUEPRO – 10 Concurrent Users	WL3SU212E	-	1995
	WL3SU212N		2020
TRUEPRO – 20 Concurrent Users	WL3SU213E	-	3595
	WL3SU213N		3620
TRUEPRO – 50 Concurrent Users	WL3SU214E	-	7595
	WL3SU214N		7620

**** Upgrade from LG1 or lower → Please refer to full package part number and prices**

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **SATO PRINTER ONLY**



Additional License Packs for Label Gallery TruePro Network V3 editions

Network versions – Upgrade for more users

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 License Pack	WL3SU311E	-	1195
	WL3SU311N		1220
TRUEPRO – 10 License Pack	WL3SU312E	-	1995
	WL3SU312N		2020
TRUEPRO – 20 License Pack	WL3SU313E	-	3595
	WL3SU313N		3620
TRUEPRO – 50 License Pack	WL3SU314E	-	7595
	WL3SU314N		7620

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2

SATO PRINTER ONLY



Developer Series - SDK

Version	Code N: DLP U: USB E: via email (no package)	Starting Fee (1 time, includes label designer + deployment license) * For every customer who bought a new SDK, he needs to pay for starting fee.
		List (EURO)
LG PocketSDK – Starting Fee	WL3SS501E	1000
	WL3SS501N	1025
LG SDK – Starting Fee	WL3SS502E	2000
	WL3SS502N	2025
Version	Code N: DLP U: USB E: via email (no package)	Unit Cost Fee
		List (EURO)
LG PocketSDK – Unit Cost Fee	WL3SS511E	20/handheld
	WL3SS511N	20/handheld
LG SDK – Unit Cost Fee	WL3SS512E	150/client
	WL3SS512N	150/client

For all SDK Starting Fee Orders:

Please kindly fill up the Label Gallery SDK Evaluation Form obtained from SIE Label Gallery Orders.

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **SATO PRINTER ONLY**



Developer Series – SDK Upgrade

Version	Code N: DLP U: USB E: via email (no package)	Starting Fee (1 time, includes label designer + deployment license)
		List (EURO)
LG PocketSDK Upgrade – Starting Fee	WL3SU501E	500
	WL3SU501N	525
LG SDK Upgrade – Starting Fee	WL3SU502N	1000
	WL3SU502E	1025
Version	Code N: DLP U: USB E: via email (no package)	Unit Cost Fee
		List (EURO)
LG PocketSDK Upgrade – Unit Cost Fee	WL3SU511N	10/handheld
	WL3SU511E	10/handheld
LG SDK Upgrade – Unit Cost Fee	WL3SU512N	75/client
	WL3SU512E	75/client

ADDITIONAL INFORMATION

For additional information, please check with Label Gallery Manager in your GMC or please visit <http://www.satoworldwide.com/labelgallery/> or contact softwaresupport@sato-int.com

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Single User versions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
EASY -Entry level labeling software	Not Available for Dynamic edition		
PLUS -Full featured labeling software <ul style="list-style-type: none"> LabelGallery PLUS–full feature labeling software GalleryData–database manager GalleryMemMaster–download utility for fonts and graphics 	WL3DS002E	-	595
	WL3DS002N	-	620
	WL3DS002U	USB	715
TRUEPRO -Complete labeling software solution -1 CAL memo not inclusive (user can obtain 1 CAL number from SI website for free if they need later) - design label can be exported to PocketPC. <ul style="list-style-type: none"> LabelGallery PLUS–full feature labeling software GalleryForm–data entry application generator GalleryData–database manager GalleryWatch–synchronise of label production GalleryMemMaster–download utility for fonts and graphics GalleryPrint–easy print and preview dialogue 	WL3DS003E	-	995
	WL3DS003N	-	1020
	WL3DS003U	USB	1115

Single User versions – Print Only

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
PLUS – Print Only -Full featured labeling software but cannot modify and design layout.	WL3DS004E	-	295
	WL3DS004N	-	320
	WL3DS004U	USB	415
TRUEPRO – Print Only -Complete labeling software solution but cannot modify and design layout. Others modules like Form/MemMaster cannot create new or modified and Database cannot create structure.	WL3DS005E	-	495
	WL3DS005N	-	520
	WL3DS005U	USB	615

Note:

U: USB and N: DLP

For WL3XXXXXU(USB hardware key) and WL3XXXXXN(DongleLess Protection key) product code, they come with LG DVD case package and are delivered from SIE to GMC.

E:Via Email (no package)

For WL3XXXXXE(DongleLess Protection key) product code, the software license key are delivered from SIE to GMC via email.

NOTE

SATO printer only
 True unicode support
 Password locking of forms
 Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Network versions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3DS011E	-	1995
	WL3DS011N		2020
TRUEPRO – 10 Concurrent Users	WL3DS012E	-	2995
	WL3DS012N		3020
TRUEPRO – 20 Concurrent Users	WL3DS013E	-	4995
	WL3DS013N		5020
TRUEPRO – 50 Concurrent Users	WL3DS014E	-	9995
	WL3DS014N		10020

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Additional WinCE Client Access license pack versions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
Additional 5 WinCE CALs	WL3DU411E	-	150
	WL3DU411N	-	175
Additional 10 WinCE CALs	WL3DU412E	-	300
	WL3DU412N	-	325
Additional 20 WinCE CALs	WL3DU413E	-	600
	WL3DU413N	-	625
Additional 50 WinCE CALs	WL3DU414E	-	1500
	WL3DU414N	-	1525

Dealer Demo

Version	Code Code N: DLP U: USB E: via email (no package)	Hardware Key type	Dealer Price (EURO)
Dealer Demo	WL3DR001E	-	150
	WL3DR001N	-	175
	WL3DR001U	USB	230

Dealer Demo Keys (for resellers/distributors only):

Dealer Demo keys is limited to resellers/distributors for their demonstration purposes only.

Recommended guideline: 2% based on the number of products sales (e.g. 2 dongles if they sell 100 pcs)

Generic STD Package (DVD box, CDROM, Installation Guide)

Version	Code	Hardware Key type	List Price (EURO)
Generic STD Package (no license)	WL3GP0001	-	25

* This is common for both Standard and Dynamic products

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Damage/Lost Dongle Key

Version	Code	Hardware Key type	List Price (EURO)
EASY – LG3 replacement	Not Available for Dynamic edition		
PLUS – LG3 replacement	WL3DF302U	USB	100
TRUEPRO – LG3 replacement	WL3DF303U	USB	100
PLUS PRINT ONLY – LG3 replacement	WL3DF304U	USB	100
TRUEPRO PRINT ONLY– LG3 replacement	WL3DF305U	USB	100
LG2 Dongle Replacement			
EASY – LG2 replacement	Not Available for Dynamic edition		
PLUS – LG2 replacement	WL3DF202U	USB	100
	WL3DF202P	PL	100
TRUEPRO – LG2 replacement	WL3DF203U	USB	100
	WL3DF203P	PL	100
PLUS PRINT ONLY – LG2 replacement	WL3DF204U	USB	100
	WL3DF204P	PL	100
TRUEPRO PRINT ONLY– LG2 replacement	WL3DF205U	USB	100
	WL3DF205P	PL	100
LG1 Dongle Replacement			
Not supported			

Hardware Key Replacement Condition for customers/resellers:

Guarantee Period

Hardware keys are under guarantee, valid for the period of two years, from the date of purchase. Cost: Nil.

Damage key

Hardware keys older than two years and keys that are damaged key will be replaced upon the return of the damaged key. See cost above.

Lost key

Lost keys will be replaced only if there is proof of purchase. See cost above.

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Single User versions – Upgrade (valid From LG3/LG2 only)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
EASY - major version upgrade	Not Available		
PLUS - major version upgrade	WL3DU002E	-	295
	WL3DU002N	-	320
TRUEPRO - major version upgrade	WL3DU003E	-	495
	WL3DU003N	-	520

**** Upgrade from LG1 or lower → Please refer to full package part number and prices**

Single User versions- Print Only–Upgrade (valid From LG3/LG2 only)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
PLUS PRINT ONLY - major version upgrade	WL3DU004E	-	195
	WL3DU004N		220
TRUEPRO PRINT ONLY - major version upgrade	WL3DU005E	-	295
	WL3DU005N		320

**** Upgrade from LG1 or lower → Please refer to full package part number and prices**

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Upgrade Prices to Network 3.x versions from previous Network 2.x only

From same Network editions

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3DU111E	-	995
	WL3DU111N	-	1020
TRUEPRO – 10 Concurrent Users	WL3DU112E	-	1495
	WL3DU112N	-	1520
TRUEPRO – 20 Concurrent Users	WL3DU113E	-	2495
	WL3DU113N	-	2520
TRUEPRO – 50 Concurrent Users	WL3DU114E	-	4995
	WL3DU114N	-	5020

**** Upgrade from LG1 or lower → Please refer to full package part number and prices on Pg2**

From single user version (valid From LG3/LG2 only)

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 Concurrent Users	WL3DU211E	-	1495
	WL3DU211N	-	1520
TRUEPRO – 10 Concurrent Users	WL3DU212E	-	2495
	WL3DU212N	-	2520
TRUEPRO – 20 Concurrent Users	WL3DU213E	-	4495
	WL3DU213N	-	4520
TRUEPRO – 50 Concurrent Users	WL3DU214E	-	9495
	WL3DU214N	-	9520

**** Upgrade from LG1 or lower → Please refer to full package part number and prices on Pg2**

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



LABEL GALLERY 3.2 **DYNAMIC**



Additional License Packs for Label Gallery TruePro Network V3 editions

Network versions – Upgrade for more users

Version	Code N: DLP U: USB E: via email (no package)	Hardware Key type	List Price (EURO)
TRUEPRO – 5 License Pack	WL3DU311E	-	1495
	WL3DU311N		1520
TRUEPRO – 10 License Pack	WL3DU312E	-	2495
	WL3DU312N		2520
TRUEPRO – 20 License Pack	WL3DU313E	-	4495
	WL3DU313N		4520
TRUEPRO – 50 License Pack	WL3DU314E	-	9495
	WL3DU314N		9520

Developer Series

Developer Series - SDK

Version	Code	Starting Fee (1 time, includes label designer + deployment license)	Unit Cost Fee
		List (EURO)	List (EURO)
LG Pocket\$SDK	Not Available for Dynamic edition		
LG SDK	Not Available for Dynamic edition		
UPGRADE			
LG Pocket\$SDK	Not Available for Dynamic edition		
LG SDK	Not Available for Dynamic edition		

ADDITIONAL INFORMATION

For additional information, please check with Label Gallery Manager in your GMC or please visit <http://www.satoworldwide.com/labelgallery/> or contact softwaresupport@sato-int.com

NOTE

SATO printer only
True unicode support
Password locking of forms
Win CE support



SATO PRICELIST EUROPE



PRINTER & PRINTER OPTIONS

OTHER ACCESSORIES

SOFTWARE

PRINTHEADS / PLATEN ROLLER

..... Printheads
Platen Roller



Version 3.3



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CG208DT	Printhead (8) CG208DT	110,00 €	R13869000
CG208TT	Printhead (8) CG208TT	110,00 €	R13864000
CG212DT	Printhead (12) CG212DT	125,00 €	R13870000
CG212TT	Printhead (12) CG212TT	125,00 €	R13865000
CG408TT	Printhead (8) CG408TT	145,00 €	R14464020
CG408DT	Printhead (8) CG408DT	145,00 €	R14481011
CG412TT	Printhead (12) CG412TT	160,00 €	R14465020
CG412DT	Printhead (12) CG412DT	160,00 €	R14482011
CL408e	Printhead (8) CL408e LM408e	450,00 €	GH000741A
CL608e	Printhead (8) CL608e M8460Se	600,00 €	GH000661A
CL412e	Printhead (12) CL412e XL410e	540,00 €	GH000771A
CL612e	Printhead (12) CL612e	940,00 €	GH000671A
CT400 CT400-2	Printhead (8) CT400 CT400-2	280,00 €	RC0A20302
CT410 CT410-2	Printhead (12) CT410 CT410-2	420,00 €	RC0A20402

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CT408iDT	<i>Printhead (8) CT408iDT</i>	195,00 €	R04733001
CT408iTT	<i>Printhead (8) CT408iTT</i>	195,00 €	R10168000
CT412iDT	<i>Printhead (12) CT412iDT</i>	305,00 €	R08329100
CT412iTT	<i>Printhead (12) CT412iTT</i>	305,00 €	R10169000
CT424iDT	<i>Printhead (24) CT424iDT</i>	995,00 €	R12108000
CT424iTT	<i>Printhead (24) CT424iTT</i>	995,00 €	R10170000
DR300	<i>Printhead (8) DR300</i>	245,00 €	GH000581A
DR310	<i>Printhead (12) DR310</i>	640,00 €	GH000591A
DR308e	<i>Printhead (8) DR308e</i>	170,00 €	G00263000
GL408e	<i>Printhead (8) GL408e</i>	345,00 €	R10100000
GL412e	<i>Printhead (12) GL412e</i>	415,00 €	R10101000
GT408e	<i>Printhead (8) GT408e</i>	375,00 €	WWGT05810
GT412e	<i>Printhead (12) GT412e</i>	455,00 €	WWGT05820
GT424e	<i>Printhead (24) GT424e</i>	895,00 €	WWGT05830

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
HT200e	<i>Printhead (8) HT200e</i>	185,00 €	G00011000
LM408e <i>Before S/N7G03</i>	<i>Printhead (8) CL408e LM408e</i>	450,00 €	GH000741A
LM412e <i>Before S/N7G03</i>	<i>Printhead (12) LM412e LM412e-2</i>	360,00 €	R11375000
LM408e-2 <i>After S/N7H03</i>	<i>Printhead (8) LM408e-2</i>	325,00 €	R11375100
LM412e-2 <i>After S/N7H03</i>	<i>Printhead (12) LM412e LM412e-2</i>	360,00 €	R11375000
Lt408	<i>Printhead (8) Lt408</i>	275,00 €	R07333000
M10e	<i>Printhead (12) M10e-XX</i>	1.285,00 €	PR7A60101
M5900RVe	<i>Printhead (8) M5900RVe</i>	425,00 €	P00273000
M8459Se	<i>Printhead (8) M8459Se</i>	440,00 €	GH000801A
M8400 M8400S	<i>Printhead M8400/M8400S (8-DOT)</i>	425,00 €	GH000231A
M8450	<i>Thermal Head FR M8450</i>	895,00 €	GH000211A
M8400RVE M8400RV	<i>Printhead M8400RVE/ M8400RV</i>	625,00 €	GH000811A
M8460Se	<i>Printhead (8) CL608e M8460Se</i>	600,00 €	GH000661A
M8465Se	<i>Printhead (12) M8465Se</i>	825,00 €	G00258000

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
M8485Se	<i>Printhead (8) M8485Se</i>	560,00 €	GH000781A
M8490Se	<i>Printhead (12) M8490Se</i>	795,00 €	GH000831A
M84Pro-2	<i>Printhead (8) M84Pro-2</i>	425,00 €	WWM845800
M84Pro-3	<i>Printhead (12) M84Pro-3</i>	515,00 €	WWM845810
M84Pro-6	<i>Printhead (24) M84Pro-6</i>	920,00 €	WWM845820
MB200	<i>Printhead MB200</i>	155,00 €	GH900041A
MB400	<i>Printhead MB400</i>	160,00 €	GH000761A
MB201i	<i>Printhead (8) MB201i</i>	65,00 €	R05606000
MB200i	<i>Printhead (8) MB200i</i>	70,00 €	R06530000
MB400i	<i>Printhead (8) MB400i</i>	68,00 €	R09304000
MB410i	<i>Printhead (12) MB410i</i>	85,00 €	R09305000
S8408	<i>Printhead (8) S8408</i>	295,00 €	R08081010
S8412	<i>Printhead (12) S8412</i>	435,00 €	R08082010
S8424	<i>Printhead (24) S8424</i>	1.230,00 €	R08083020

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PRINTHEADS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
TH208	Printhead (8) TH208~	110,00 €	R14565030
XL400e	Printhead XL400/XL400e Before S/N 309~	620,00 €	R00182000
XL400e	Printhead (8) XL400e LR840XRVe-2 After S/N 310~	350,00 €	G00012000
XL410e	Printhead XL410/XL410e Before S/N 301~	835,00 €	R00183000
XL410e	Printhead (12) CL412e XL410e LR842XRVe-2 After S/N 302~	540,00 €	GH000771A

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
CG2XXDT	<i>Platen Roller CG2XXTT/DT</i>	39,00 €	R13862000
CG4XXTT	<i>Platen Roller SAB CG4XXTT/DT</i>	42,00 €	R14471010
CL408e	<i>Platen Roller Sub (With a play) CL408e LM408e LM408e-2 After S/N307A~</i>	42,00 €	R03064000
CL408e	<i>Platen Roller Sub (Without a play) CL408e Before S/N306M~</i>	42,00 €	R07162000
CL412e	<i>Platen Roller Sub (With a play) CL412e LM412e LM412e-2 After S/N307A~</i>	42,00 €	R03065000
CL412e	<i>Platen Roller Sub (Without a play) CL412e Before S/N306M~</i>	42,00 €	R07163000
CL608e	<i>Platen Roller Sub CL608e</i>	62,00 €	PR7720100
CL612e	<i>Platen Roller Sub CL612e CL612</i>	62,00 €	PR7720500
CL6XXe	<i>Feed Roller Sub CL612e</i>	48,00 €	PR7720600
CT4XX CT4XX-2	<i>Platen Roller Sub (with pulley) CT4XX CT4XX-2</i>	44,00 €	RC1A20004
CT4XX CT4XX-2	<i>Platen Roller (without pulley) CT4XX CT4XX-2</i>	25,00 €	PR0A20102
CT4XXi-TT/DT	<i>Platen Roller CT4XXi-TT/DT</i>	30,00 €	R04726001
DR308e	<i>Platen Roller SUB DR308e</i>	65,00 €	R11771000
DR300	<i>Platen Roller Sub DR300</i>	30,00 €	PR7750200

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
DR310	Platen Roller Sub DR310	32,00 €	PR7750902
GL4XXe	Platen Roller Sub GL4XXe	42,00 €	R10085000
GT4XXe	Platen Roller Sub GT4XXe (With Gear)	45,00 €	R04703000
GT4XXe	Platen Roller (Without Gear)	36,00 €	P11154000
LM408e LM408e-2	Platen Roller Sub (With a play) CL408e LM408e LM408e-2 After S/N307A~	42,00 €	R03064000
LM412e LM412e-2	Platen Roller Sub (With a play) CL412e LM412e LM412e-2 After S/N307A~	42,00 €	R03065000
Lt408	Platen Roller Sub Lt408	32,00 €	R07323010
Lt408	Feed Roller Sub Lt408	52,00 €	R07324001
M10e	Platen Roller Sub M10e-XX	90,00 €	RC1A60100
M10e	Feed Roller Sub M10e-XX	80,00 €	RC1A60301
M5900Rve	Platen Roller Sub M5900Rve	45,00 €	PR1520300
M84Pro-X	Platen Roller Sub (With a play) M84Pro-X After S/N411~	42,00 €	R00907003
M84Pro-X	Platen Roller Sub (Without a play) M84Pro-X Before S/N410~	38,00 €	R00907001
M84Pro-X	Feed Roller Sub (With a play) M84Pro-X After S/N411~	49,00 €	R00908001

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
M84Pro-X	Feed Roller Sub (Without a play) M84Pro-X Before S/N410~	49,00 €	R00908000
M8400RV/e	Platen Roller M8400RVe/M8400RV	67,76 €	PR7740102
M8400S	Platen Roller for M-8400 M-8400S M-8400S(R) M-8410S M8450S	95,00 €	PR0540000
M8400/VA	Platen Roller M8400	29,00 €	PR0680000
M8450	Platen Roller M8450	155,00 €	PR0680201
M8460Se M8465Se	Platen Roller with COLLAR M8460Se M8465Se	44,00 €	R00045000
M8485Se M8459Se M8459Se	Platen Roller M8485Se M8459Se M8459Se	59,00 €	PR0730100
MB200	Platen Roller MB200	18,00 €	PR0A30203
MB400	Platen Roller for MB400	30,00 €	PR7A50101
MB2xxi	Platen Roller Sub MB20Xi	45,00 €	R05607001
MB4xxi	Platen Roller Sub MB4X0i	60,00 €	R09313000
S8408	Platen Roller Sub S84XX	34,00 €	R07586020
MB4xxi	Platen Roller Sub MB4X0i	60,00 €	R09313000

Continuing on next page.

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



PLATEN ROLLERS



Note: Available for authorized SATO resellers only.

PRINTER	DESCRIPTION	LIST PRICE	PROD. CODE ROHS / SATO PROD. CODE
S8408	<i>Platen Roller Sub S84XX</i>	34,00 €	R07586020
S8408	<i>Feed Roller Sub S84XX</i>	32,00 €	R09121000
S8408	<i>Pressure Roller S84 Series</i>	21,00 €	R07717020
TH208	<i>Platen Roller Sub TH208</i>	43,00 €	R13531030
XL400e	<i>Platen Roller Sub XL400e</i>	45,00 €	PR7760200
XL410e	<i>Platen Roller Sub XL410e</i>	45,00 €	PR7761600
XL4XXe	<i>Feed Roller Sub (With gear) XL4XXe</i>	39,00 €	PR7760600
XL4XXe	<i>Feed Roller XL4XXe</i>	29,00 €	PR0760100

Note: Please use "SATO Prod. Code" where a "Prod. Code RoHS" is not shown.

Version 3.3



GENERAL TERMS OF CONDITIONS



SATO PRICE LIST Europe
SATO International Europe
Lambroekstraat 5a
1931 Diegem
Belgium
<http://www.satoeurope.com>

- a. SATO reserves the right to change pricing at any time without prior notice.
The latest SATO Price List supersedes all previous SATO Price Lists.
- b. Prices are in Euro.
- c. The Standard Terms and Conditions of Sale of the local SATO Office where
Products are purchased apply.